

Gladiator MY22 Buyers Guide.

November 2021



Jeep

NIGHT EAGLE

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Selec-Trac® Active On-Demand 4x4

Features:

- Premium Black Cloth Trim Seats
- Black Exterior and Interior Accents
- Uconnect 8.4" Touch Screen Display
- Apply Carplay ⁽²⁾⁽⁴⁾ & Android Auto ⁽³⁾⁽⁴⁾
- Satellite Navigation
- 7.0" Driver Information Display
- Black Three-Piece Freedom Hard Top
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 9 Speaker Alpine Premium Audio System
- Parkview Rear Backup Camera
- ParkSense Front/Rear Park Assist System
- Remote Proximity Keyless Entry & Push Button Start

RUBICON

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Rock-Trac® Active On-Demand 4x4

Features

(in addition, or replacing Night Eagle):

- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway-Bar Disconnect
- 77.2:1 Crawl Ratio
- FOX aluminum-bodied 2" diameter shocks [front/rear]
- Off-Road Plus Mode
- 32" BFGoodrich Off-Road Tyres [255/75R17]
- 17" Granite Crystal Alloy Wheels
- Steel Rear Bumper
- Rubicon Hood Decal
- McKinley Leather Trimmed Seats
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel



Capability & Performance	Code	Night Eagle	Rubicon
Selec-Trac® Active On Demand 4x4 System	DHP	●	-
Rock-Trac® Active On Demand 4X4 System	DHF	-	●
Tru-Lok® Front & Rear Locking Differentials	DSE	-	●
Rear Stabiliser Bar	SHF	●	●
Fox Performance Shocks - Front	SFC	-	●
Fox Performance Shocks - Rear	SGC	-	●
Electronic Front Stabiliser Bar Disconnect	SHG	-	●
Dana M210 Front Axle	DJF	●	●
Dana M220 Rear Axle	DRF	●	●
Rear Axle Ratio 4.10	DMF	●	●
Skid Plate - Fuel Tank	XEE	●	●
Skid Plate - Transfer Case	XEF	●	●
Skid Plate - Transmission	XE9	●	●
Black Injection Molded Front Bumper	MBA	●	●
Steel Front Bumper	MC6	-	○
Steel Rear Bumper	MD6	-	●
Wash-Out Interior with Removable Carpet and Drain Plugs	-	●	●
Safety, Security & Driver Assistance	Code	Night Eagle	Rubicon
Electronic Stability Control	BNB	●	●
Hill Start Assist	BNG	●	●
Traction Control	BNM	●	●
Electronic Roll Mitigation	BNS	●	●
Trailer Sway Control	BNT	●	●
Heavy Duty 4-Wheel Disk Brakes with ABS	BR2	●	●
Sport Bar	CLM	●	●
Remote Keyless Entry	GXM	●	●
Remote Proximity Keyless Entry	GXD	●	●
Sentry Key Theft Deterrent System	GXX	●	●
Security Alarm	LSB	●	●
4 Airbags (2 Front, 2 Side Seat)	-	●	●
Parkview Reverse Parking Camera	XAC	●	●
ParkSense Rear Park Assist System	XAA	●	●
ParkSense Front Park Assist System (NAW Steel Front Bumper)	XHU	●	●
Cruise Control	NHM	●	●
Adaptive Cruise Control with Stop	NH3	●	●

Safety, Security & Driver Assistance	Code	Night Eagle	Rubicon
Full Speed Forward Collision Warning Plus	LSU	●	●
Blind Spot Monitoring	XAN	●	●
Rear Cross Path Detection	-	●	●
Tyre Pressure Monitoring Display	XGM	●	●
Comfort & Convenience	Code	Night Eagle	Rubicon
Automatic Headlamps	LMG	●	●
Automatic Headlamp Leveling System	JKJ	●	●
Rear View Auto Dim Mirror	GNK	●	●
Remote Start System	XBM	●	●
Speed Limiting Device	NH2	●	●
Air Conditioning with Automatic Temperature Control	HAB	●	●
Speed-Sensitive Power Locks	JPH	●	●
Power Adjustable, Heated Mirrors	GTB	●	●
Power Windows	JPY	●	●
12V Auxiliary Power Outlet	JJJ	●	●
Tilt/Telescope Steering Column	SUD	●	●
Torx Tool Kit	XE4	●	●
Freedom Panel Storage Bag	CS2	-	●
Rear Window Defroster	GFA	●	●
Utility	Code	Night Eagle	Rubicon
Cargo Area Tie Down Loops	CKT	●	●
Cargo Group with Trail Rail Management System	CMD	○	○
Spray-In Bedliner	XMF	○	○
Aux Switches (4x Programmable Switches)	LH2	○	○
240 Amp Alternator	BAL	●	○
700 Amp Maintenance Battery	BCV	○	○

Standard (●) Option (○) Not Offered (-) Not Available With (NAW)

Audio & Connectivity	Code	Night Eagle	Rubicon
8.4" Uconnect 4 Touch Screen with Navigation Satellite Navigation Bluetooth Phone & Audio AM/FM/DAB+ Radio Apple CarPlay ⁽²⁾⁽⁴⁾ Android Auto ⁽³⁾⁽⁴⁾	UJQ	•	•
7.0" Multi-View Driver Information Display	JAL	•	•
9-Speaker Alpine Premium Audio System including Subwoofer	RC4	•	•
Steering Wheel Mounted Audio Controls	RDZ	•	•
Wireless Bluetooth Speakers	RSJ	○	○
Media Hub (USB, AUX, 12V)	RSF	•	•
Remote USB Port	RSX	•	•
Exterior	Code	Night Eagle	Rubicon
Alloy Wheels - 17-inch	-	•	•
Heavy Duty Rock Slider with Step Assist	MMU	•	•
Grille - Black	MW7	•	-
Grille - Body Colour/Accent Colour	MF4	-	•
Fender Flares - Black	MM2	-	•
Fender Flares - Body Colour	MM3	•	○
Hard Top - Removable, Black 3-Piece	HT1	•	•
Hard Top - Removable, Body Colour 3-Piece	HT3	-	○
Deep Tint Sunscreen Windows [#]	GCD	•	•
Removable Full Metal Doors	GCF	•	•
Fold Down Windscreen	-	•	•
Exterior Mirrors - Black	LE4	•	•
Exterior Mirrors - with Supplemental Signals	LEB	•	•
Headlamps - LED	LPX	•	•
Fog Lamps - LED	LNV	•	•
Tail Lamps - LED	LAY	•	•
Daytime Running Lamp System - LED	LPY	•	•
Tailgate Mounted Full Size Tyre Carrier	TBR	•	•
Rubicon Hood Decal	MYA	-	•
Vented Hood	-	•	•
Black Trail Rated Badge - Left, Front Fender	MGD	•	-
Red Trail Rated Badge	MTB	-	•
Fixed Long Mast Antenna - Right, Front Fender	RDD	•	•

Interior	Code	Night Eagle	Rubicon
Seat - Cloth Bucket	*A7	•	-
Seat - Rubicon Leather Trimmed Bucket	*AL	-	•
Seat - Heated Front	JPM	-	•
Rear Seat - 60/40 Split Folding	CFN	•	•
Gloss Black I/P Bezels	JES	•	-
Silver Platinum I/P Bezels	JET	-	○
Red-Ical I/P Bezels	JEL	-	○
Base Interior Accents	XSB	•	-
Bright Interior Accents	XSC	-	•
Floor Mats - Front & Rear	CLE	•	•
Steering Wheel - Leather Wrapped	SCV	•	•
Steering Wheel - Heated	NHS	-	•
Urethane Shift Knob	CV3	•	-
Leather-Wrapped Shift Knob	CVW	-	•
Leather-Wrapped Parking Brake Handle	CVP	-	•
Premium Door Trim Panel	CBF	-	•
Front Seat Back Map Pockets	CSM	•	•
Sliding Sun Visors w/Mirrors	GNU	•	-
Sun Visors w/Illuminated Vanity Mirrors	GNC	-	•
Passenger Assist Handles	CSR	•	•
Lockable Rear Underseat Storage	CUW	○	○
LED Interior Lighting	LHA	-	•

Standard (•) Option (○) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger and rear cargo windows only. Driver and front passenger windows and windscreen are not tinted.

Gladiator

GROUPS & OPTIONS

	Code	Comments	Night Eagle	Rubicon
Lifestyle Adventure Group				
HD Electrical Group	ADH			
AUX Switches (4x Programmable Switches)	LH2			
240 Amp Alternator	BAL			
700 Amp Maintenance Battery	BCV			
Cargo Group with Trail Rail System	CMD	-	O	O
Lockable Rear Underseat Storage	CUW			
Spray In Bedliner	XMJ			
Wireless Speaker - Bluetooth	RSJ			
Rubicon Premium Package				
Body Colour Fender Flares	MM3		-	O
Body Colour Freedom Hard Top	HT3			
Trail Ready Package				
Steel Front Bumper	MC6	Removes XHU -	-	O
17 Inch Polished Black Alloy Wheels	WFN	ParkSense Front Park Assist System		

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WFP - 17-inch Black Alloy Wheels
(Standard on Night Eagle)



WFJ - 17-Inch Granite Crystal Alloy Wheels
(Standard on Rubicon)



WFN - 17-Inch Polished Black Alloy Wheels
(Option on Rubicon)

Gladiator



PX8 - Black
(Standard)



PW7 - Bright White
(Standard)



PAU - Granite Crystal
(Option)



PDN - Sting Grey
(Option)



PGG - Sarge Green
(Option)



PRC - Firecracker Red
(Option)



PRV - Snazzberry
(Option)




PBJ - Hydro Blue
(Option)



PSE - Silver Zynith
(Option)

EXTERIOR COLOURS

Gladiator



A7X9 - Black with Peak Embossing and Black Stitching
(Standard - Sport S)



ALX9 - Black Leather Trimmed Bucket Seats
(Option - Rubicon)



ALTV - Dark Saddle Leather Trimmed Bucket Seats
(Option - Rubicon)

	Night Eagle	Rubicon	
Option Code	A7X9	ALX9	ALTV
Seat Material	Cloth	Leather	Leather
Seat Colour	Black	Black	Dark Saddle
Instrument Panel	Silver	Redical	Silver
Steering Wheel	Leather Wrapped		
Exterior Colour			
Black (PX8)	•	•	•
Bright White (PW7)	•	•	•
Granite Crystal (PAU)	•	•	•
Sting Grey (PDN)	•	•	•
Firecracker Red (PRC)	•	•	•
Hydro Blue (PBJ)	•	•	•
Sarge Green (PGG)	•	•	•
Snazzberry (PRV)	•	•	•
Silver Zynith (PSE)*	•	•	•

Available (•) Not Offered (-) Available from Feb 2022 production (*)

Technical Specifications	Night Eagle 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4
Body & Chassis		
Layout	Front Engine, 4x4	
Construction	Body on frame chassis, open steel and aluminum body	
Assembly Plant	Toledo Supplier Park, Toledo, Ohio, USA.	
Doors	4-Door	
Seats	5	
Powertrain		
Description	3.6L Pentastar V6 w/ ESS	
Capacity	3604	
Cylinders	6	
Configuration	V	
Aspiration (Natural / Forced)	Naturally Aspirated	
Max. Power (kW @ rpm)	209 @ 6400	
Max. Torque (Nm @ rpm)	347 @ 4100	
Valves	24	
Compression	11:03:01	
Bore & Stroke (mm)	96.0 x 83.0	
Fuel ⁽¹⁾		
System	Sequential, Multi Port, Electronic, Returnless	
Type	Unleaded Petrol	
Fuel Tank Capacity (L)	83	
Economy (Urban, L/100km)	15.4	
Economy (Highway, L/100km)	10.6	
Economy (Combined, L/100km)	12.4	
Emissions		
Emission Standard Met	5	
Emissions (Combined, CO ₂ g/km)	288	
Steering		
Type	Electro-Hydraulic Power	
Turning Circle - Kerb to Kerb (m)	13.6	
Column Adjustment	Tilt/Telescopic	

Technical Specifications	Night Eagle 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4
Weights		
Tare Weight (kg)	2,135	2,195
Kerb Mass (kg)	2,187	2,242
Gross Vehicle Mass (kg)	2,880	2,935
Payload (kg) ⁽¹⁰⁾ = GVM - Kerb Mass	693	693
Max. Braked Towing Capacity (kg) ⁽⁹⁾	2,721	
Max. Unbraked Towing Capacity (kg)	750	
Max. Tongue Download (kg) ⁽⁹⁾	272	
Gross Combined Mass (kg) Incl. Braked Towing	5,601	5,656
Transmission		
Type	8-Speed Automatic	
Ratio - 1st	4.71	
Ratio - 2nd	3.13	
Ratio - 3rd	2.10	
Ratio - 4th	1.67	
Ratio - 5th	1.28	
Ratio - 6th	1.00	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.30	
Brakes		
Front - Type	Ventilated disk, floating twin piston caliper with ABS	
Front - Size (mm)	330 x 28	
Rear - Type	Solid disk, floating single piston caliper with ABS	
Rear - Size (mm)	350 x 22	
Wheel & Tyre		
Wheel Type	Alloy	
Wheel Size (Inches)	17.0 x 7.5	17.0 x 7.5
Tyre Size	245 / 75	255 / 75
Spare Wheel	Under-Vehicle Mounted	

Weights & Capacities	Night Eagle 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4
Dimensions		
Length (mm)	5,591	
Width (mm)	1,894	
Height (mm)	1,905	1,909
Wheelbase (mm)	3,488	
Front Track (mm)	1,636	
Rear Track (mm)	1,636	
Suspension		
Type	Coil	
Front	Solid axle, link coil, leading arms, track bar, coil springs, stabilizer bar	
Rear	Solid axle, link coil, trailing arms, track bar, coil springs, stabilizer bar	
Shocks	Gas-charged monotube shock absorbers	High-pressure, gas charged Fox Aluminum monotube shocks
Electronic Stabiliser Bar Disconnect	-	Front
4x4 Specifics		
4x4 System	Selec-Trac® 4x4 Active On-Demand	Rock-Trac® 4X4 Active On-Demand
Operating Mode	2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low	
Low Range Ratio	2.72:1	4.0:1
Rear Axle Ratio	4.10	4.10
Front Axle	Dana M210	
Rear Axle	Dana M220	
Electronic Locking Differentials	-	Tru-Lock® Front & Rear
Running Clearance (mm)	249	
Approach Angle (Degrees)	40.7	
Breakover Angle (Degrees)	18.4	
Departure Angle (Degrees)	25.1	
Wading Depth (mm)	760 ⁽⁶⁾	
Service & Warranty		
Service Intervals	12,000km / 12 months	
Warranty	5 year / 100,000 km ⁽⁷⁾	
Roadside Assist	Lifetime roadside assist when you service through Jeep ⁽⁸⁾	



jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). The GVM must not be exceeded. The Gross Combined Mass (the combined weight of the fully loaded vehicle including tow ball download (when towing) and trailer must also not be exceeded. Please see Owner's Manual for vehicle specifications.