Wrangler MY22 Buyers Guide. May 2022

Jeep

NIGHT EAGLE

Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

Transmission

8-Speed Automatic Four Wheel Drive

4x4 System Selec-Trac® Active On-Demand 4x4

Body Style(s) 4-Door

Features (in addition, or replacing Sport S):

- Gloss Black Exterior Accents and Badging
- · 17" Black Painted Aluminium Wheels
- Dark Interior Accents
- Uconnect 8.4" Touchscreen with Satellite Navigation
- Apple Carplay ⁽²⁾⁽⁴⁾ & Android Auto ⁽³⁾⁽⁴⁾ 9-Speaker Alpine Premium Audio System with Subwoofer
- 7.0" Driver Information Display
- · LED Lighting Group (Headlights, Taillights, DRLs, Fog Lamps)
- · Push-Button Start and Remote Proximity
- Keyless Entry
- Forward Collision Warning Plus
- · Adaptive Cruise Control with Stop Blind Spot Monitor and Rear Cross Path Detection
- · Rearview Camera & Front/Rear Parking Sensors
- Deep Tint Sunscreen Windows
- · Remote Start System
- · Security Alarm
- · Hard Top Headliner

OVERLAND

Engine 3.6 Pentastar V6 with ESS 209kW 347Nm

Transmission

8-Speed Automatic Four Wheel Drive

4x4 System Selec-Trac® Active On-Demand 4x4

Body Style(s) 4-Door

Features (in addition to, or replacing Night Eagle):

- Black McKinley Leather Trimmed Seats with Overland Logo
- Heated Front Seats/Steering Wheel Leather-Wrapped Shift Knob
- & Parking Brake Handle
- Body-Colour Three-Piece Removable Hard Top
- · Body-Colour Fender Flares
- · Bright Chrome Mirror and Grille Accents

- · Hard Spare Tyre Cover 230V Power Outlet
- Trail-Rail Management System

- 18" Tech Grey Aluminium Wheels

- Heated Front Seats/Steering Wheel

 McKinley Leather Trimmed Seats Leather-Wrapped Shift Knob & Parking

 Trail-Rail Management System (4-Door Only)









10DEVHGHLGH

leen

RUBICON

209kW 347Nm

8-Speed Automatic

Four Wheel Drive

Transmission

4x4 System

Body Style(s) 2-Door/4-Door

Night Eagle):

3.6 Pentastar V6 with ESS

Rock-Trac Active On-Demand 4x4

Features (in addition to, or replacing

System [4:1 Transfer Case]

· 77.2:1 Crawl Ratio

black pockets.

• Off-Road + Mode

Brake Handle

Rock-Trac[®] Active On-Demand 4x4

Tru-Lok[®] Front & Rear Locking Differentials

Electronic Front Sway Bar Disconnect

· Heavy Duty Front and Rear Dana axles

Heavy Duty Rock Slider W/Step Assist

• 17" Polished Aluminium Wheels with

Programmable Auxiliary Switch Bank

· Grey Exterior Accents and Badging

32" BFGoodrich Off-Road Tyres

Engine

| Capability & Performance | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
|---|------|-----------------------|--------------------|-------------------|-------------------|
| Selec-Trac® Active On-Demand 4x4 System | DHP | • | | 1 - 20 | |
| Rock-Trac®Active On-Demand 4X4 System | DHF | - 5 | | • | 12. |
| 2-Speed Transfer Case | - | • | • | | |
| Tru-Lok® Front & Rear Locking Differentials | DSE | - | | • | • |
| Off-Road+ Mode | XG7 | | | • | • |
| Rear Stabiliser Bar | SHF | • | • | • | • |
| Electronic Front Stabiliser Bar Disconnect | SHG | - | - | • | • |
| Dana M186 Front Axle | DJD | • | | | - |
| Dana M210 Front Axle | DJE | - | - | • | • |
| Dana M200 Rear Axle | DRZ | • | • | - | |
| Dana M220 Rear Axle | DRE | | - | • | • |
| 3.45 Overall Top Gear Ratio | DLK | • | • | | S |
| Rear Axle Ratio 4.10 | DMF | - | | • | |
| Auxilliary Switches (x4) | LH2 | >> | - V. | | |
| 240A Alternator | BAL | - | | • | |
| 700A Maintenance Battery | BCV | | - | • | • |
| Skid Plate - Fuel Tank | XEE | | | • | • |
| Skid Plate - Transfer Case | XEF | | St 17 | • | |
| Skid Plate - Transmission | XE9 | | • | • | • |
| Black Front Bumper | MBA | | • | • | |
| Steel Front Bumper | MC6 | - | | 0 | 0 |
| Heavy Duty Suspension With Gas Shocks | SDU | | · · · · · | • | |
| Matching Spare Alloy Wheel | WKB | | | • | |
| Wash-Out interior with Drain Plugs | - | | • | | |
| Safety, Security & Driver Assistance | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
| Electronic Stability Control | BNB | • | | • | • |
| Hill Start Assist | BNG | • | • | • | • |
| Selec-Speed Control | BNK | • | • | • | |
| Traction Control | BNM | | • | • | • |
| Electronic Roll Mitigation | BNS | | • | • | • |
| Trailer Sway Control | BNT | • | • | • | • |
| Heavy Duty 4-Wheel Disk Brakes with ABS | BR2 | | • | • | • |
| Sport Bar | CLM | • | • | • | • |
| Remote Proximity Keyless Entry | GXD | • | • | • | • |
| Sentry Key Theft Deterrent System | GXX | • | • | • | • |

| Safety, Security & Driver Assistance (Continued) | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
|---|-------|-----------------------|--------------------|-------------------|-------------------|
| Security Alarm | LSB | • | • | • | • |
| 4 Airbags (2 Front, 2 Side Seat) | - | • | • | • | |
| Parkview Reverse Parking Camera | XAC | • | • | | • |
| Forward Facing TrailCam | XNY | - | | 0 | 0 |
| ParkSense Rear Park Assist System | XAA | • | | • | |
| ParkSense Front Park Assist System | XHU | • | • | • | |
| Cruise Control | NHM | • | • | 1. A. C. M. | |
| Adaptive Cruise Control with Stop (late availability) | NH3 | | • | ·· /) | • |
| Full Speed Forward Collision Warning Plus (late availability) | LSU | • | • | • | • |
| Blind Spot Monitoring | XAN | • | | • | • |
| Rear Cross Path Detection | - 194 | • | • | • | |
| Tyre Pressure Monitoring Display | XGM | • | • | • | |
| Audio & Connectivity | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
| "8.4"" Uconnect 4 Touch Screen with Navigation Satellite Navigation Bluetooth Phone & Audio AM/FM/DAB+ Radio Apple Car Play Android Auto" | υJQ | • | • | • | • |
| 7.0" Multi-View Driver Information Display | JAJ | | • • | • | • |
| 9-Speaker Alpine Premium Audio system including subwoofer | RC4 | • | | | • |
| Steering Wheel Mounted Audio Controls | RDZ | • | | • | /•/ |
| Media Hub (USB, AUX) | RSF | • | | • / | •) |
| Remote USB Port | RSX | | | | |

Standard (•) Option (°) Not Offered (-)

Jeep

| Comfort & Convenience | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
|--|---|---|---|--|--|
| Automatic Headlamps | LMG | • | • | × • | • |
| Automatic Headlamp Leveling System | JKJ | • | • | • | |
| Rear View Auto Dim Mirror | GNK | • | • | • | • |
| Remote Start System | XBM | • | • | • | • |
| Speed Limiting Device | NH2 | • | • | • | • |
| Air Conditioning with Automatic Tempera- ture Control | НАВ | • | • | | • |
| Speed-Sensitive Power Locks | JPH | | | • | • |
| Power Adjustable, Heated Mirrors | GTB | • | • | • | • |
| Power Windows | JPY | • | • | • | • |
| 12V Auxiliary Power Outlet | JJJ | | • | | • |
| 12V Auxiliary Power Outlet - Rear | JJM | • | | San. | • |
| 230V Power Outlet | JKU | 1 | • | | • |
| Tilt/Telescope Steering Column | SUD | | -40 .22 | 1. A. A. A. | • |
| Trail Rail Management System | CMD | | | | • |
| Torx Tool Kit | XE4 | • | | • | • |
| Freedom Panel Storage Bag | CS2 | • | | | • |
| Rear Window Defroster | GFA | | A . 5 | | |
| Exterior | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
| | | 4 0001 | | 2-0001 | -D001 |
| Alloy Wheels - 17-inch | 10- | • 2001 | - | • | • |
| | | | • | | |
| | - - MMU | | - | | |
| Alloy Wheels - 18-inch | × | | - | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist | - MMU | • | • | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps | - MMU MRU | • | • | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black | - MMU MRU MFK | • | • | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright | - MMU MRU MFK MFZ | • | • | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour | - MMU MRU MFK MFZ MF4 | • | • | • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black | - MMU MRU MFK MFZ MF4 MM2 | • | • | • • • • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour | - MMU MRU MFK MFZ MF4 MM2 | • | • | • • • • | • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour Exterior Accents - Gloss Black | MMU MRU MFK MFZ MF4 MM2 MM3 | • | - - - - - - - - - | • - - - - - - - - - - - - - - - - - - - | • - - - - • • • • • • • • • • • • • • • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour Exterior Accents - Gloss Black Hard Top - Removable, Black 3-Piece | - MMU MRU MFK MFZ MF4 MM2 MM3 - HT1 | • | - | • - - - - - - - - - - - - - - | • • • • • • • • • • • • • • • • • • • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour Exterior Accents - Gloss Black Hard Top - Removable, Black 3-Piece Hard Top - Removable, Body Colour 3-Piece | - MMU MRU MFK MFZ MF4 MM2 MM3 - HT1 HT1 HT3 | • | - - - - - - - - - - - - - - - - - | • • • • • • • • • • • • • • • • • • • | • • • • • • • • • • • • • • • • • • • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour Exterior Accents - Gloss Black Hard Top - Removable, Black 3-Piece Hard Top - Removable, Body Colour 3-Piece Sky-One-Touch Power Top | - MMU MRU MFK MFZ MF4 MM2 MM3 - HT1 HT3 STJ | • | - - - - - - - - - - - - - - - - - - - | • • • • • • • • • • • • • • • • • • • | • • • • • • • • • • • • • • • • • • • |
| Alloy Wheels - 18-inch Heavy Duty Rock Slider with Step Assist MOPAR Black Tube Steps Grille - Body Colour/Black Grille - Bright Grille - Body Colour/Accent Colour Fender Flares - Black Fender Flares - Body Colour Exterior Accents - Gloss Black Hard Top - Removable, Black 3-Piece Hard Top - Removable, Body Colour 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows # | - MMU MRU MFK MFZ MF4 MM2 MM3 - HT1 HT3 STJ GCD | • | - - - - - - - - - - - - - - - - - - - | • - - - - - - - - - - - - - - - - - - - | • • • • • • • • • • • • • • • • • • • |

| Exterior (Continued) | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
|--|---|-----------------------|--------------------|-------------------|-------------------|
| Front Door Tinted Glass | GCB | • | • | • | • |
| Exterior Mirrors - Black | LE4 | • | | • | • |
| Exterior Mirrors - Bright | MMW | | • | | - |
| Exterior Mirrors with Supplemental Signals | LEB | • | • | · 13 | |
| Exterior Mirrors - Power Heated | GTB | • | • | • | • |
| Headlamps - LED | LPX | • | • | | • |
| Fog Lamps - LED | LNV | • | • | • | • |
| Tail Lamps - LED | LAY | • | • | | • |
| Daytime Running Lamp System - LED | LPY | • | | • | • |
| Tailgate Mounted Full Size Tyre Carrier | TBR | • | • | • | • |
| Spare Tyre Cover | CSA | • | | • | • |
| Black Hard Spare Tyre Cover (^) | CSB | - | • | | - |
| Rubicon Hood Decal | MYA | - 194 | | • | • |
| Vented Hood | - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 | • | | • | • |
| Trail Rated Badge - Left, Front Fender | MT2 | | | | - |
| Black Trail Rated Badge - Left, Front Fender | MGD | • | - 1 | 1 - AND | 2 |
| Red Trail Rated Badge - Left, Front Fender | МТВ | | - | • | • |
| Fixed Long Mast Antenna - Right, Front Fender | RDD | • | | • | • |
| Black Fuel Filler Door | XJN | | | • | • |
| Rear Window Wiper | JHB | • | • | • | • |
| Fixed Long Mast Antenna - Right, Front Fender | RDD | | | • | |
| Black Fuel Filler Door | XJN | - | 61 · 1 | • | • |
| Rear Window Wiper | JHB | • | | | • |
| Interior | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
| Seat - Cloth Bucket | *A7 | • | | | |
| Seat - McKinley Leather with Overland Logo | *ML | - | • | | * - |
| Seat - Rubicon Leather Trimmed Bucket | *AL | | | • | |
| Seat - Heated Front | JPM | - | | • | |
| Rear Seat - Folding | CFM | | | • | |
| Rear Seat - 60/40 Split Folding | CFN | • | • | | • |
| Silver Platinum I/P Bezels | JET | - | | 0 | 0 |
| Dark I/P Bezel | JES | • | - | - | - |
| Red-Ical I/P Bezels | JEL | | - | 0 | 0 |
| Premium Wrapped I/P Bezels | JEK | - | | - | - |

Standard (•) Option (o) Not Offered (-)

(^) Bright White exterior colour paired with body colour Hard Spare Tyre Cover. (#) Deep Tint Windows applies to rear passenger and rear cargo windows only. Driver and front passenger windows and windscreen are not tinted.



| Interior (Continued) | Code | Night Eagle 4-Door | Overland 4-Door | Rubicon 2-Door | Rubicon 4-Door |
|---|------|-----------------------|--------------------|-------------------|-------------------|
| Dark Interior Accents | XS4 | • | 10.50 | | - A. |
| Bright Interior Accents | XSC | - | • | • | • |
| Floor Mats - Front | CLC | - | 2 - 2 | • | - |
| Floor Mats - Front & Rear | CLE | • | | - | - |
| Cargo Mat - Boot | CKL | • | | • | • |
| All-Weather Floor Mats | CWA | - | 6 | • | • |
| Steering Wheel - Leather Wrapped | SCV | • | | • | • |
| Steering Wheel - Heated | NHS | | | • | • |
| Urethane Shift Knob | CV3 | • | 12 - 13 B | - | - |
| Leather-Wrapped Shift Knob | CVW | - | | | • |
| Leather-Wrapped Parking Brake Handle | CVP | | | • | • |
| Premium Door Trim Panel | CBF | - 10 | • | • | • |
| Front Seat Back Map Pockets | CSM | • | • | • | 1. |
| Sliding Sun Visors w/Mirrors | GNU | | | | - 1 |
| Sun Visors w/Illuminated Vanity Mirrors | GNC | S 38 | | • | • |
| Passenger Assist Handles | CSR | • | • | • | • |
| LED Interior Lighting | LHA | | | • | • |
| Hard Top Headliner | CHD | • | • | 17.0 | • |
| Cargo Area Tie Down Loops | СКТ | | | | |

Standard (•) Option (•) Not Offered (-)



WFL - 17-Inch Painted Black Alloy Wheels (Standard on Night Eagle)



WGB - 18-Inch Tech Gray Diamond Cut Wheels (Standard on Overland)



WGM - 17-Inch Polished Wheels with Black Pockets (Standard on Rubicon)



WGR - 17-Inch Black Wheels with Polished Lip (Option on Rubicon)



| Group / Option | Code | Comments | Overland 4-Door | Rubicon 2-Door / 4-Door |
|---|-------------------|---|-----------------|-------------------------|
| Sky-One-Touch Power Top | STJ | Removes CHD - Hard Top Headliner & XBM - Remote Start System | 0 | |
| Trail-Ready Package Integrated Off-Road Camera 17-inch Black Aluminium Wheels Steel Front Bumper | XNY WGR MC6 | Removes XHU - ParkSense Front Park Assist System & CSA - Spare Tyre Cover | | 0 |
| Rubicon Premium Package Body Color 3-Piece Hard Top Body Colour Fender Flares | HT3 MM3 | | | 0 |
| Sky-One-Touch Premium Package Sky-One-Touch Power Top Body Colour Fender Flares | STJ MM3 | Available on 4-Door Rubicon Only Removes CHD - Hard Top Headliner & XBM - Remote Start System | - | 0 |

Option (O) Standard (S) Not Available (-) Must Have (m/h) Packaged With (p/w)

ellille





PX8 - Black (Standard)



PW7 - Bright White (Standard)



PAU - Granite Crystal (Option)



PDN - Sting Grey (Option)



PGG - Sarge (Option)



PRC - Firecracker Red (Option)



PRV - Snazzberry (Option)



PBJ - Hydro Blue (Option)



PSE - Silver Zynith (Option)



PJF - High Velocity (Available from Feb 2022 production - Option)



EXTERIOR COLOURS



A7X9 - Black Cloth (Standard - Night Eagle)



MLX9 - Black McKInley Leather with Overland Logo (Standard - Overland)



ALX9 - Black Leather Trimmed Bucket Seat (Standard - Rubicon)



ALTV - Dark Saddle Leather Trimmed Bucket Seats (Option - Rubicon)



| | Night Eagle | Overland | Ru | bicon |
|-----------------------|---|-------------------|-----------------|--------------|
| Option Code | A7X9 | MLX9 | ALX9 | ALTV |
| Seat Material | Cloth | Leather - Trimmed | Leather | - Trimmed |
| Seat Colour | Black | Black | Black | Heritage Tan |
| Instrument Panel | Dark | Premium - Wrapped | Redical | Silver |
| Steering Wheel | and the state of the | Leather Wra | apped | |
| rior Colour | | | | |
| Black (PX8) | • | • | | • |
| Bright White (PW7) | · 375 | • | • | |
| Granite Crystal (PAU) | 0 | 0 | 0 | |
| Sting Grey (PDN) | 0 | 0 | 0 | |
| Firecracker Red (PRC) | 0 | 0 | 0 | |
| Sarge Green (PGG) | 0 | 0 | A A A A A A A A | 0 |
| Snazzberry (PRV) | 0 | 0 | 0 | |
| Hydro Blue (PBJ) | 0 | 0 | 0 | |
| Silver Zynith (PSE) | 0 | 0 | 0 | |
| High Velocity (PJF)* | 0 | 0 | A A | 0 0 0 |

Standard (•) Option (O) *Available from Feb 2022 production.



| | Rubicon 2-Door 3.6L 8AT 4x4 | Night Eagle 4-Door 3.6L 8AT 4x4 | Overland 4-Door 3.6L 8AT 4x4 | Rubicon 4-Door 3.6L 8AT 4x4 | | | |
|--|--|---|------------------------------------|--|--|--|--|
| Body & Chassis | | | | | | | |
| Layout | | Front Engine 4x4 | | | | | |
| Construction | Bod | Body on Frame Chasis, open steel and aluminium body | | | | | |
| Assembly Plant | | Toeldo Supplier Park | k. Toledo, Ohio. USA. | | | | |
| Doors | 2-Door | | 4-Door | a second | | | |
| Seats | 4 | | 5 | | | | |
| Model Code | JLUS72-24R | JLUL74-24L | JLUP74-24G | JLUS74-24R | | | |
| Powertrain | | | | | | | |
| Description | | 3.6 Pentasta | ar V6 w/ ESS | States and a state of the states of the stat | | | |
| Capacity | | 3,6 | 504 | A State | | | |
| Cylinders | | | 6 | | | | |
| Configuration | | and the second | V | AL DE | | | |
| Aspiration (Natural / Forced) | A A A A | Naturally | Aspirated | ANG ANNA | | | |
| Max. Power (kW @ rpm) | the second | 209 @ | 0 6400 | Takes Ship | | | |
| Max. Torque (Nm @ rpm) | | 347 @ | 0 4100 | | | | |
| Valves | | 2 | 24 | an Priced | | | |
| Compression | | 11:0 | 3:01 | | | | |
| Bore & Stroke (mm) | | 96.0 | x 83.0 | and the second | | | |
| Fuel ⁽¹⁾ | | | | | | | |
| System | Sequential, Multi Port, Electronic, Returnless | | | | | | |
| Туре | | Unleade | ed Petrol | - Contraction | | | |
| Fuel Tank Capacity (L) | 66.0 | | 81 | and the second | | | |
| Economy (Urban, L/100km) | 13.5 | 1 | 3 | 13.6 | | | |
| Economy (Highway, L/100km) | 8.2 | 7 | .8 | 8.3 | | | |
| Economy (Combined, L/100km) | 10.1 | 9 | .7 | 10.3 | | | |
| Emissions | | | Carlos and | | | | |
| Emission Standard Met | | | 5 | | | | |
| Emissions (Combined, CO ₂ g/km) | 235 | 2 | 25 | 239 | | | |
| Steering | | | | 13355 | | | |
| Туре | | Electro-Hyd | raulic Power | | | | |
| Turning Circle - Kerb to Kerb (m) | 10.5 | | 12.44 | | | | |
| Column Adjustment | | Tilt/Tel | escopic | | | | |

| | Rubicon 2-Door 3.6L 8AT 4x4 | Night Eagle 4-Door 3.6L 8AT 4x4 | Overland 4-Door 3.6L 8AT 4x4 | Rubicon 4-Door 3.6L 8AT 4x |
|---|---|---------------------------------------|------------------------------------|----------------------------------|
| Weights | | | | |
| Tare Weight (kg) | 1,917 | 1,900 | 1,900 | 1,992 |
| Gross Vehicle Mass (kg) | 2,404 | 2,460 | 2,460 | 2,562 |
| Max. Braked Towing Capacity (kg) (9) | 1,497 | A. () | 2,495 | |
| Max. Unbraked Towing Capacity (kg) | | 7 | 50 | t le the |
| Max. Tongue Download (kg) ⁽⁵⁾ | 150 | 2! | 50 | 12 5 2 |
| Gross Combined Mass (kg) Incl. Braked Towing | 3,751 | 4,7 | 706 | 4,808 |
| Transmission | | | 699 A | |
| Туре | | 8-Speed | Automatic | 1 |
| Ratio - 1st | | 4. | 71 | |
| Ratio - 2nd | 1 | 3. | 13 | 31.12 |
| Ratio - 3rd | | 2. | 10 | A Start |
| Ratio - 4th | | 1. | 67 | A STATISTICS |
| Ratio - 5th | 117 | 1. | 28 | Charles - |
| Ratio - 6th | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1. | 00 | Constant of the |
| Ratio - 7th | | 0. | 84 | |
| Ratio - 8th | | 0. | 67 | |
| Reverse | A CONTRACTOR | 3. | 53 | |
| Performance | and the stand | 2 | | |
| Acceleration (Seconds 0-100km/h) | 7 | .5 | 7. | .9 |
| Maximum Speed (km/h) | 1 | 80 | 18 | 30 |
| Brakes | | Sector Sector | and a state | |
| Front - Type | Ve | ntilated disk, floating tv | vin piston caliper with Al | BS |
| Front - Size (mm) | 330 x 28 | 330 x 24 | 330 | x 28 |
| Rear - Type | 5 | Solid disk, floating single | e piston caliper with ABS | S |
| Rear - Size (mm) | 342 x 12 | 328 x 12 | 342 | x 14 |
| Wheel & Tyre | | | | |
| Wheel Type | | AI | loy | |
| Wheel Size (Inches) | 17.0 x 7.5 | 17.0 x 7.5 | 18.0 x 7.5 | 17.0 x 7.5 |
| Tyre Size | 255 / 70 | 245 / 75 | 255 / 70 | 255 / 75 |
| Spare Wheel | | Tailgate Mounted - M | Matching Alloy Wheel | |

ECHNICAL INFORMATION



| Weights & Capacities | Rubicon 2-Door 3.6L 8AT 4x4 | Night Eagle 4-Door 3.6L 8AT 4x4 | Overland 4-Door 3.6L 8AT 4x4 | Rubicon 4-Door 3.6L 8AT 4x4 | | | |
|--|---------------------------------|--|---|--------------------------------|--|--|--|
| Dimensions | | | | | | | |
| Length (mm) | 4,334 | Nº BERT | | | | | |
| Width (mm) | 1,894 | | 1,894 | - | | | |
| Height (mm) | 1,841 | 1,828 | 1,838 | 1,848 | | | |
| Wheelbase (mm) | 2,459 | | 3,008 | | | | |
| Front Track (mm) | | 1,5 | 98 | | | | |
| Rear Track (mm) | | 1,5 | 98 | | | | |
| Suspension | | and the second sec | and the second | the contraction | | | |
| Гуре | | Ca | pil | | | | |
| Front | | Solid Axle, Link Coil, Leading Arms, T | Frack Bar, Coil Springs, Stabiliser Bar | | | | |
| Rear | | Solid Axle, Link Coil, Leading Arms, T | Frack Bar, Coil Springs, Stabiliser Bar | | | | |
| Electronic Stabiliser Bar Disconnect | Front | | | Front | | | |
| 4x4 Specifics | | TANK THE | | | | | |
| 4x4 System | Rock-Trac® Active On-Demand 4x4 | Selec-Trac® Active | Rock-Trac® Active On-Demand 4x | | | | |
| Operating Mode | IN CONTRACTOR | 2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low | | | | | |
| Transfer Case | | 2-Speed | | | | | |
| Low Range Ratio | 4.0:1 | 2.7 | 2:1 | 4.0:1 | | | |
| Rear Axle Ratio | 4.10 | 3.4 | 45. | 4.1 | | | |
| Front Axle | Dana M210 | Dana | M186 | Dana M210 | | | |
| Rear Axle | Dana M220 | Dana | M200 | Dana M220 | | | |
| Electronic Locking Differentials | Tru-Lock Front & Rear | | | Tru-Lock Front & Rear | | | |
| Running Clearance (mm) | 225 | 232 | 242 | 252 | | | |
| Approach Angle (with optional Steel Front Bumper) (Degrees) | 36.6 (41.9) | 35.2 | 35.8 | 36.5 (41.7) | | | |
| Breakover Angle (Degrees) | 26.6 | 19.5 | 20.4 | 21.2 | | | |
| Departure Angle (Degrees) | 31.5 | 30.5 | 31.2 | 31.9 | | | |
| Wading Depth (mm) ⁽⁶⁾ | | 76 | 60 | | | | |
| Warranty & Service | Rubicon 2-Door 3.6L 8AT 4x4 | Night Eagle 4-Door 3.6L 8AT 4x4 | Overland 4-Door 3.6L 8AT 4x4 | Rubicon 4-Door 3.6L 8AT 4x4 | | | |
| Service Intervals | | 12,000km / | 12 months | | | | |
| Warranty | | 5 year / 10 | 0,000km ⁽⁷⁾ | | | | |
| Roadside Assist | | Lifetime Roadside Assist whe | n you service through Jeep (8) | | | | |





jeep.com.au

*Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details.