

### **NIGHT EAGLE**

#### **Engine**

3.6L V6 Petrol: 210 kW 344 Nm

#### **Transmission**

8-Speed Automatic 4x4

Maximum Towing Capacity (6)

2,813kg

#### Fuel Consumption(1)

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

#### Features:

- Jeep Quadra-Trac I Active 4x4 System
- 20-inch Alloy Wheels
- Uconnect 5 Navigation with 10.1-inch Touchscreen Display with Apple CarPlay (7)(9) and Android Auto (8)(9)
- Suede & TechnoLeather-Accented Bucket Seats
- Heated 8-way power seats and 4-way power lumbar for both driver and front passenger
- Heated steering wheel & first-row seating
- Jeep Connected Services
- Six Speaker Audio System
- Power liftgate with adjustable height settings
- Automatic LED headlamps
- 10.25" Multiview Display cluster
- ParkView Rear Back-up Camera with Front and Rear Park Assist with Stop
- Tyre Pressure Monitoring
- · Passive Entry with Keyless Go
- Hill Start Assist
- Blind Spot Monitoring with Rear Cross-Path Detection
- · Adaptive Cruise Control with Stop and Go
- Active Lane Management
- Pedestrian Automatic Emergency Braking (with cyclist detection)
- Drowsy Driver Detection
- Traffic Sign Recognition
- · Intersection Collision Assist

### LIMITED

#### **Engine**

3.6L V6 Petrol: 210 kW 344 Nm

#### **Transmission**

8-Speed Automatic 4x4

#### **Maximum Towing Capacity** (6)

2,813kg

#### Fuel Consumption(1)

5 seat: 9.9

7 seat: 10.6

#### Features (in addition to or replacing Night Eagle)

- Jeep Quadra-Trac I Active 4x4 System with Selec-Terrain
- TechnoLeather Seats
- Driver Seat Memory
- · Heated first and second-row seating
- · Ventilated front seating
- · Second-row window shades
- Nine Speaker Premium Audio System with Active Noise Control
- Digital Rearview Mirror
- 360-Degree Surround View Camera
- Ambient LED Lighting
- · Auto High Beam Headlamp Control



5 seat Night Eagle



7 seat Night Eagle



7 seat Limited

### OVERLAND

#### **Engine**

3.6L V6 Petrol: 210 kW 344 Nm

#### **Transmission**

8-Speed Automatic 4x4

#### Maximum Towing Capacity (6)

2,813kg

#### Fuel Consumption(1)

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

### Features (in addition to or replacing Limited)

- Jeep Quadra Trac II Active 4x4 system with Selec-Terrain and Quadra Lift Air Suspension & Adaptive Damping
- Nappa leather-trimmed seats
- Enhanced multi-colour interior ambient lighting
- · Hands-free Power Liftgate
- Proximity wake-up
- · Dual-Pane Panoramic Sunroof
- · Hill Descent Control
- · Dual bright exhaust tips
- · Bright sill plates

### SUMMIT RESERVE

#### **Engine**

Grand Cherokee L 3.6L V6 Petrol: 210 kW 344 Nm

#### **Transmission**

8-Speed Automatic 4x4

#### **Maximum Towing Capacity** (6)

Summit Reserve (7 seat): 2,813kg

#### Fuel Consumption(1)

Combined (L/100km)

Summit Reserve (7 seat): 10.6

#### Features (in addition to or replacing Overland)

- · Quilted Palermo leather-trimmed seats
- 12-way power with 4-way power lumbar adjustment for driver and front passenger seat with memory
- Driver and front passenger seat massage function
- · Berber floor mats
- Deluxe headliner
- · Black painted roof
- 21-inch Alloy Wheels
- Premium McIntosh High Performance Audio System with 19 speakers and 950-watt amplifier
- Unique wood appliqué in instrument panel, steering wheel and doors
- · Illuminated sill plates
- ParkSense Parallel & Perpendicular Park Assist
- · Active Driving Assist System



7 seat Overland



7 seat Summit Reserve

			Grand Cherokee (5 seat)			Grand Cher	okee (7 seat)	
Capability & Performance	Code	Night Eagle	Limited	Overland	Night Eagle	Limited	Overland	Summit Reserve
3.6L Pentastar V6 Petrol Engine with ESS	ERC	• -			•	• pg/34	•	1 1/2
8-Speed Automatic Transmission	DFT	•	•	•	• 30,53	•	• )	1/59•
Quadra-Trac I ® 4x4 System	DHY	•	•		• 21/23	•	- 1000 - 100	-
Quadra-Trac II ® 4x4 System	DKA	-	-	•	- 333	7 11 - 1 - 1	•	•
Hill Descent Control	BNH	-		•				•
Selec-Terrain ® Traction Management System	XAB	- 1,1034	•		-	•	•	•
Quadra-Lift ® Air Suspension	SER	-	-10 -	•		-	•	•
Semi Active Damping	SMC	- 1111		•			•	•
Heavy Duty Engine Cooling	NMC	•	•	•		•	•	•
Rear Load Leveling Suspension	SES	•	•	•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		• - 5 - 7	•
Trailer Hitch Zoom	XNQ	•	•	•	•	•	•	•
160 Amp Alternator	BAB	•	-		•		1	- 184
220 Amp Alternator	BAJ	-	• 2012	-	1000000	•	-	
240 Amp Alternator	BAL	Jane - Carrier	-	•	12.55	-	•	•
650 Amp AGM Battery	BCZ	•	•	230000	-	•	-	
700 Amp Maintenance Free Battery	BCV		-	•	-	-	•	•
Conventional Differential Rear Axle	DS8	•	•	• 1	•	•	• 1 - 1	-7 -10 •
Conv Diff Frt Axle W/Disconnect	DSM	•	•	•	•	•	•	•
Electric Power Steering	SBL	•	•	• =	•		•	• •
Four Wheel Traction Control	BNR	•	•	•	EN 14-9-17	•	•	•
Sport Mode	XG8	• : 1	•	•	•	•	•	• -
Map-In-Cluster Display	JBA					-		•
Stop-Start Dual Battery System	XHZ	•	•	• 11			•	• 2
Aux Battery	BC1	•	•	•		•	•	•
Selectable Tyre Fill Alert	LA5	•	•	•		•	•	•
Tyre Pressure Monitoring Display	XGM	•	•	100.00	•	•	•	•
Exterior	Code	Night Eagle	Limited	Overland	Night Eagle	Limited	Overland	Summit Reserve
Dual Exhaust Tips	NEK	-		-	The second	•		
Dual Bright Exhaust Tips	NEL	-	-	ALCOHOL: NO	-		•	•
Wheel Flares - Black	MMJ		•		Extende:	•		
Black Lower Rear Fascia	MLK	•	•			•	-	-
Black Lower Front Fascia	MLX	•	•	- 4/74		• 4.4	4.0.	-
Wheel Flares - Painted	ММЗ	<u> </u>		•			•	•
Painted Lower Front Fascia	ML6	-			to the second		•	•

		Grand Cherokee (5 seat)			
Exterior	Code	Night Eagle	Limited	Overland	
Painted Lower Rear Fascia	MLN	-	-	•	
Body Colour Door Handles	MNK	•	•	•	
Exterior Accents - Gloss Black	MHP	<u> </u>	-	-	
Exterior Accents - Chrome	MHU	- T	•	•	
Exterior Accents - Platinum Chrome	MCG	T			
Door Cladding - Black	MJW	• 119	•		
Door Cladding - Painted	MJX			•	
Door Cladding - Painted/Bright	MJY	- 200	-	-	
Lower Rocker Panel Cladding - Black	MJ5	rana • being	•		
Lower Rocker Panel Cladding - Painted	MJ6		-	•	
Shark Fin Antenna	RHC	•	•	•	
Roof Rails - Black / Gloss Black	MWE		-	-	
Roof Rails - Black / Bright	MWG	-	• 2 11 1	-	
Roof Rails - Gloss Black / Bright	MWR	7-1-2-2-1107	-	•	
Roof Rails - Fine Silver / Gloss Black	MW1	-	-	-	
Upper Active Grille Shutters	MDX	•	•		
Grand Cherokee Badge	MVB	•	•	•	
Jeep Badge	MVC	•	•	•	
4X4 Badge	MWT	•	•	•	
Limited Badge	MVA	and the light of	•	-	
Overland Badge	MZM	FF 10	-	•	
Summit Reserve Badge	MZ5	D 10 76		-	
Black Painted Roof	MXS		-		
Roof - Body Colour	MXU	•	•	•	
Power Sunroof	GWA	0	-	-	
Dual-Pane Panoramic Sunroof	GWJ		0	•	
Interior Rear Facing Camera	XPR	20.00		-	
Interior	Code	Night Eagle	Limited	Overland	
5 Passenger Seating	CYD	•	•	•	
7 Passenger Seating	CYE	10-100	-	-	
Suede & TechnoLeather-Accented Bucket Seats	*DZ		-	-	
TechnoLeather Seats	*D6		•	- 10	
Nappa Leather-Trimmed Seats	*BL	1 1- 11	-	•	
Palermo Leather-Trimmed Seats	*EC	-	-		
Soft Touch Door Trim	CTL	10-10-1	-	F. (F. 1971)	
TechnoLeather Door Trim	СВН		•		

	Grand Cherokee (7 seat)						
Night Eagle	Limited	Overland	Summit Reserve				
-	- 05/3/4	•	•				
• (4)	•	•	1/10/10				
• = 1,00	-	- 1777 170	-				
-	• = 5	•	-				
	m - 12		•				
•	•	-	-				
	-	•	-				
			•				
•	•						
- 13-4 h	- 1	•	•				
•		•	•				
•		-	-				
	•	-	-				
	7- 1	•					
-	-	-	•				
•	•	•	•				
	•	•	•				
<u> </u>	•	•	•				
•	•	•	•				
-	•	-	-				
-	-	•	-				
	-	-	•				
		-	•				
•	•	•	-				
- 0	- 0	•	•				
	0	•	•				
Night Eagle	Limited	Overland	Summit Reserve				
Night Eagle	Limited	Overland	-				
•	•	•	•				
•	-		-				
		-	-				
-		•	-				
-			•				
•	-	11-77-1-7	2000				
Little Francisco		medica na	1-				

		Grand Cherokee (5 seat)		
Interior	Code	Night Eagle	Limited	Overland
Nappa Leather Door Trim	CBW			• -
Palermo Leather Door Trim	СТХ	-	- 7770	-
Black Headliner	СНК	•	•	•
Deluxe Headliner	CHE	-	1 3	
Front & Rear Floor Mats	CLE	•	•	•
Premium Berber Front & Rear Floor Mats	CCG	- 1400		and the State of
Floor Mat, 3rd Row	CWB		-10-	-
Reversible Carpet/Vinyl Cargo Mat	СКК	- 7-51	1-22-1	
Sun Visors with Illuminated Vanity Mirrors	GNC	• • • •	•	•
Interior Assist Handles	CSV			•
Illuminated Cupholders	CWP	• • •	•	•
Window Shades, 2nd Row, Manual	GF1			0
Cargo Tie Down Loops	СКТ	•	•	•
Cargo Compartment Cover	CSC			•
2nd Row Centre Rear 3-Point Seat Belt	CG6	•	•	•
2nd Row Three Rear Seat Head Restraints	CSH	•	•	
2nd Row Seat Centre Armrest/Cupholders	CSN			
2nd Row 60/40 Manual Fold Seatbacks	CYP	•	•	•
2nd Row Power Fold Seatbacks	CFQ	-		
2nd Row 60/40 Bench, Manual Tip/Slide	CF1			-
3rd Row 50/50 Manual Fold Seat	CFG	- 11-		
3rd Row 50/50 Power Fold Seat	СВВ	100		
3rd Row Remote Headrest Dumping	CEE			-
Steering Wheel Mounted Shift Control	XBQ			
Techno-Leather Wrapped Steering Wheel	SCJ		•	•
Wood/Leather Wrapped Steering Wheel	SCM	-		
Bright Sill Plates	CLT			•
Illuminated Sill Plates	LP1			
Coat Hooks	хст			- V
Comfort & Convenience	Code	Night Eagle	Limited	Overland
Dual-Zone Climate Control	HAF	•	•	•
Three-Zone Climate Control	НАН			
Four-Zone Climate Control	HAL	10 10 10		0
Driver Seat Memory	LEQ	-	•	•
Passenger Seat Memory	LE5	41-121-12	1000	0
Driver Seat - Power Adjust 8-Way	JVG	•		•
Driver Seat - Power Adjust 12-Way	JVJ		1 - 2 - 2 - 2 - 2	0

Grand Cherokee (7 seat)						
Night Eagle	Limited	Overland	Summit Reserve			
-	-	• Overland	-			
	-		•			
•	•	•				
		-	•			
			-			
-	-	-	•			
	•	•	•			
		-	•			
	CALL OF THE STATE	•	•			
(v. • 1"1	• 2000	•	•			
•	•	•	•			
- · · · · · · · · · · · · · · · · · · ·		0	• 114			
• - 1.5	•	•	•			
	•	•	•			
	•	•	•			
•	•	•	•			
•	•	•	•			
•	•	-	-			
	- (10-1	•	•			
•	•	•	•			
•	•	-	-			
	-	•	•			
•	<u> </u>	•	• 2			
•	•	•	•			
•	•	•	-			
	-	-	•			
	-	•	-			
-	-	-	•			
•	•	•	•			
Night Eagle	Limited	Overland	Summit Reserve			
<u> </u>	-	-	-			
•	•	•	-			
	-	0	•			
-	•	•	•			
-	-	0	•			
•	•	•	-			
200 C. C. C.		0	•			

	7.5-1.0		Grand Cherokee (5 seat)			Gr
Comfort & Convenience	Code	Night Eagle	Limited	Overland	Night Eagle	Limited
Front Passenger Seat - Power Adjust 8-Way	JWG	•	•	•	•	•
Front Passenger Seat - Power Adjust 12-Way	JWJ		-7770	0	1980/99	-
Heated Steering Wheel	NHS	•	•	•	•	•
Heated Front Seats	JPM	•	•	•	•	•
Heated Second Row Outboard Seats	JPZ	(T) - 1	•	•		
Ventilated Front Seats	CAJ	- 274876	•	11 A 10 T. O. D. 11 T. O. D. 1		•
Ventilated Second Row Outboard Seats	CAH	-		0		-
Power Liftgate	JRC	•		-		
Hands Free Power Liftgate	JK2		-	•		COTAL LA
Electric Park Brake	XC4	•		•	La Contractor	• •
Speed Sensitive Power Locks	JPH	•	•	•	•	•
Pushbutton Start	GX4	•	•	•		•
Rear View Auto Dim Mirror	GNK	•	•	•	( •	
Rain Sensitive Windshield Wipers	JHC	• •		•		•
4 Way Front Headrests	CDP	•	•	•	- ·	•
Power Seat Back Massage - Driver	CE9	-		0		-
Power Seat Back Massage - Front Passenger	CE5	Y		0	-	-
Passive Entry-Front Doors, Liftgate	GXD	•	-	-	•	-
Passive Entry-Front & Rear Doors, Liftgate	GX5	-	•	•		
Power Front Windows, 1-Touch,Up & Down	JP3		•	-	•	•
Power Windows, Front & Rear 1-Touch Up/Down	JSB	- 1	-	•		-
Power Windows Global Up & Down with Keyfob	JSE	2-12-1-1				-
Tilt/Telescope Steering Column	SUD	•	-	-		
Power Tilt/Telescope Steering Column	SUB	-		•		
Memory Steering Column	LEW		-	•		-
Digital Rearview Mirror	GRG	-		0		•
Power Mirrors-Base	GUB	•		-		-
Ext. Mirrors W/Supplemental Signals	LEB	•	•	•	•	•
Heated Exterior Mirrors	LE1			•		
Gloss Black Exterior Mirrors	LE7	·		•		
Auto Power-Folding Mirrors	LFF	•		•		•
Power Mirrors-High	GUE	-		•		•
Auto Dim Exterior Driver Mirror	GNZ		•	•		
Exterior Mirrors W/Memory	LEM			•		
Auto Dim Exterior Passenger Mirror	LEU	1 1931 - 10.0	•	•		•
Auto Adjust In Reverse Ext Mirrors	LEX	-	•	•	100	
Exterior Mirrors Approach Lamps	LE9	A 100 - 100	•	•	17	
Acoustic Laminated Rear Door Glass	GAH			•		

Grand Cherokee (7 seat)					
Night Eagle	Limited	Overland	Summit Reserve		
•	• 0000	•	1 /1-0		
1300100	-	0	1/4/9-		
• 500/500	•	- 17/1/10	• 1		
•	•	•	•		
-	•		•		
	•	•	•		
	-	0	•		
•	•	-			
	-	•	•		
• TI	•	•	•		
•	•	•	•		
	•	•	• 33 9		
1.00	•	•	• = 0.00		
	•	•	•		
•	•	•	-		
	-	0	•		
	-	0	•		
•	-	-			
- 100	•	•	•		
•	•	-	-		
	-	•	•		
	-	•	•		
•	-	-	26.2		
	•	•	• • • • • • • • • • • • • • • • • • • •		
	-	•	• • • • • • • • • • • • • • • • • • • •		
	•	0	*		
-	-		Ellouge III - H		
	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
A Maria	•	•	•		
	•	•	•		
	•	•	•		
	•	•	388.		
1000	•	•	•		
	•		•		
•	•		•		

to the state of th			Grand Cherokee (5 seat)	
Comfort & Convenience	Code	Night Eagle	Limited	Overland
Acoustic Windshield	GAK	•	•	•
Acoustic Laminated Front Door Glass	GAP	•	• 100	•
Laminated Rear Glass	GAZ			-
Deep Tint Privacy Glass#	GEG	•	•	•
Windshield Wiper De-Icer	NHL			•
Audio & Connectivity	Code	Night Eagle	Limited	Overland
Jconnect 5 Navigation with 10.1-inch Touchscreen Display	UUN		100	•
Gps Navigation	JLN	•	•	•
Gps Antenna Input	JLP	•	•	•
Apple Carplay (Wireless)	RFP	• •	•	•
Google Android Auto (Wireless)	RF5		•	•
Jsb Host Flip	RF7	•	•	•
Digital Audio Broadcasting	RS9	7-1-1-1-1152	•	•
ntegrated Voice Command W/Bluetooth	XRB	•	•	•
S Speaker Audio System	RCG		-	
9 Speaker Premium Audio System	RC3		•	•
506 Watt Amplifier	RFD	-	•	•
Premium McIntosh High Performance Audio System with 19 Speakers	RCA			37 2
950 Watt Amplifier	RDH	T 18.	-	
Active Noise Control System	JLW	46	•	•
Vireless Charging Pad	RFX	•	•	0
Cluster 10.25' Tft Color Display	JAU	•	•	•
Steering Wheel Mounted Audio Controls	RDZ	•	•	•
Media Hub - 4 USB, 2 Fully Funct, Aux	RSF	•	•	· .
2nd Row 4 Charge-Only USB Ports	RS2		•	•
Brd Row 4 Charge-Only USB Ports	RS3	L = 2 - 1		1 1 2 2 1 1
Rear Cargo Area 12V Power Outlet	JJM	•	•	-
12V Auxiliary Power Outlet	JKP	and the same of th	•	•
Lighting	Code	Night Eagle	Limited	Overland
Automatic Headlamps	LMG	•	• _	- • . 4
Auto High Beam Headlamp Control	LMS	D. J. L. J. L.	•	•
.ED Reflector Headlamps	LPX	•	•	
Automatic Headlamp Leveling System	JKJ	A	•	K.F.T.
ED Taillamps	LAY	•	•	• 11
_ED Daytime Running Lamps- Park/Turn	LPJ			

Grand Cherokee (7 seat)						
Night Eagle	Limited	Overland	Summit Reserve			
•	• 0.5	•				
•	•	•				
- 57/15		- ;;;//	•			
•		•	•			
and the second		•	•			
Night Eagle	Limited	Overland	Summit Reserve			
	•	• 1000	•			
		•	•			
	• 339650	•	•			
•	•	•	•			
•	•	• 11	• 334			
	•	•	•			
200 · 100	•	•	•			
•	• •	•	-			
•	-	-				
	•	• 1	-7 -42 (4-1)			
·	•	•	-			
		-	•			
-	-	-	•			
	•	•	•			
•	•	0	0			
•	•	•	• ***			
•	•	•	•			
•	•	•	•			
•	•	•				
	•	•	•			
•	•	•	•			
	•	•	•			
Night Eagle	Limited	Overland	Summit Reserve			
•	•	•	•			
	•	•	•			
•	•	•	•			
•	•	•	FF 5. • 17			
•	•	•	•-			
•	•	•	•			
		Dia				

Lighting	Code	Night Eagle	Limited	Overland
Front LED Fog Lamps	LNV	• * * * * * * * * * * * * * * * * * * *	•	
Front Corner LED Lamps	LNB	-	-	•
Rear LED Fog Lamps	LPM	•	•	•
Exterior Door Handle Approach Lamps	LC2	-	-	•
Door Courtesy Lamps	LCB		-	•
Proximity Approach Lamps	LNR	- 1000		
Ambient LED Interior Lighting	LCJ	-	-11.	-
Multi-Colour Ambient LED Interior Lighting	LBZ	- 12 (1)	-	•
LED Front Footwell Lighting	LBB	•	•	•
Footwell Courtesy Lamp - Rear	LBW		-	•
Glove Box Lamp	LBC	•	•	•
Front Reading/Map Lamps	LBG	•	•	•
Rear Reading/Courtesy Lamps	LBH	•	•	•
3rd Row Passenger LED Reading Lamps	LCQ	y - c - c mark		-
Front & Rear LED Map Pockets	LBU	•	•	•
Liftgate Door Puddle Lamps	LBP	•	•	•
Overhead Cargo Area Lighting - LED	LCP	•	•	•
Safety, Security & Driver Assistance	Code	Night Eagle	Limited	Overland
Hold 'N Go	BHG	•	•	•
Electronic Stability Control	BNB	•	•	•
Hill Start Assist	BNG	• 5000	• • • • • •	•
Hill Start Assist Trailer Sway Damping	BNG	•	•	•
		•		•
Trailer Sway Damping	BNT	•	•	•
Trailer Sway Damping Rain Brake Support	BNT	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking	BNT BHC BHD	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm	BHC BHD LSB	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm	BHC BHD LSB LSD	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus	BHC BHD LSB LSD LSU	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist	BNT BHC BHD LSB LSD LSU BGG	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist Pedestrian & Cyclist Emergency Braking	BNT BHC BHD LSB LSD LSU BGG LST	•	•	•
Trailer Sway Damping  Rain Brake Support  Ready Alert Braking  Security Alarm  Deluxe Security Alarm  Full Speed Forward Collision Warn Plus  Advanced Brake Assist  Pedestrian & Cyclist Emergency Braking  Intersection Collision Asssist	BNT BHC BHD LSB LSD LSU BGG LST XPS	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist Pedestrian & Cyclist Emergency Braking Intersection Collision Asssist Drowsy Driver Detection	BNT BHC BHD LSB LSD LSU BGG LST XPS XNM	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist Pedestrian & Cyclist Emergency Braking Intersection Collision Asssist Drowsy Driver Detection Intelligent Speed Control	BNT BHC BHD LSB LSD LSU BGG LST XPS XNM NH2	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist Pedestrian & Cyclist Emergency Braking Intersection Collision Asssist Drowsy Driver Detection Intelligent Speed Control Adaptive Cruise Control with Stop & Go	BHC BHD LSB LSD LSU BGG LST XPS XNM NH2 NHZ	•	•	•
Trailer Sway Damping Rain Brake Support Ready Alert Braking Security Alarm Deluxe Security Alarm Full Speed Forward Collision Warn Plus Advanced Brake Assist Pedestrian & Cyclist Emergency Braking Intersection Collision Assist Drowsy Driver Detection Intelligent Speed Control Adaptive Cruise Control with Stop & Go Traffic Sign Recognition	BHC BHD LSB LSD LSU BGG LST XPS XNM NH2 NHZ	•	•	•

Grand Cherokee (5 seat)

Grand Cherokee (7 seat)					
Night Eagle	Limited	Overland	Summit Reserve		
•	• 11/1/2	<b>-</b>	•		
1200 (50)	- 15-64	•	1,5%		
• :	•	- 13-101	• * * * * * * * * * * * * * * * * * * *		
- 3:5000	7 15 - 15 - 16	•	•		
10.0	-		•		
	-	•	•		
	•				
	-	•	•		
•	•	•	•		
-		•	•		
•	•	•	•		
•		•	•		
1.00.00.00	•	•	•		
•		•	•		
•		•	•		
•	•	•	•		
•	•	•	•		
Night Fagle	Limited	Overland	Summit Reserve		
Night Eagle	Limited	Overland	Summit Reserve		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•	•		
	•	•	•		
•	•	•			

	174-11-1		Grand Cherokee (5 seat)	
Safety, Security & Driver Assistance	Code	Night Eagle	Limited	Overland
Surround View Camera System	XAK	-7	•	•
Rear Back Up Camera Washer	JHE		• ***	•
Integrated Off-Road Camera	XNY	-	• • •	•
Blind Spot And Cross Path Detection	XAN	•	•	•
Parksense Front & Rear Park Assist with Stop	XH4	•	•	•
Parallel & Perpendicular Park & Unpark Assist with Stop	XPL			WALLEY OF
Side Distance Warning	XAJ	- 12-12-12		-
Child Seat Upper Tether Anchorages	CF4		•	•
Child Seat Anchor System-Latch Ready (ISOFIX)	CGU	•	•	•
Advanced Multistage Front Air Bags	CG3	•	•	•
Driver Inflatable Knee-Bolster Air Bag	CGY	•	•	•
Passsenger Inflatable Knee-Bolster Air Bag	CHF	•	•2014	•
Supplemental Frt Seat Side Air Bags	CJ1	The substitute of the substitu		•
Supplemental Side Curtain Front & Rear Air Bags	CJ2	•	•	•
Occupant Detection Sensor - 2nd Row	xcc		•	•
Occupant Detection Sensor - 3rd Row	XCE	-	•	-
Rear Seat Reminder Alert	JFB	•	•	•
Driver Seat Belt Alert	LAF	•		•
Rear Passenger Seat Belt Alert	LAU		Sint date.	•
Front Passenger Seat Belt Alert	LAX			•
Quick Disconnect Battery Terminal	XAV			
Capless Fuel Filler	XJM	•	•	• W.
Locking Push-Push Fuel Filler Door	XJ6	•	•	•

Grand Cherokee (7 seat)						
Night Eagle	Limited	Overland	Summit Reserve			
•	• 0.5	•	•			
	•	•	•			
- 579/55	•	•	•			
•	•	•	•			
	•	-	•			
	-	-	•			
			•			
	•	•	•			
43.	• 400	•	•			
• ·	•	•	•			
•	•	•	•			
	•	•	•			
•	•	•	• 44			
	•	•	•			
•	•	•	•			
•	•	•	•			
•	•	•	•			
	•	•	•			
•	•	•	•			
•	•	•	•			
•	•	•	•			
•	•	•	•			
•	•	•	•			

		Grand Cherokee (5 seat)			Grand Cher	okee (7 seat)	
Jeep Connected Services~	Night Eagle	Limited	Overland	Night Eagle	Limited	Overland	Summit Reserve
My Assistant:							
Vehicle Health Report	•	•	•	•	•	•	•
My Remote*:							
Remote Operations	•	•	•	·	• 1	•	•
Vehicle Finder	•	•	•		•	•	• 15
Jeep Off-Road Pages	-	•	wist Miller		•	•	•
Family Drive Alerts	•	• · ·	•			•	•
My Car:							
Vehicle Health Alert	•	•	•			•	
Vehicle Information	•	•	•	HARLES OF THE	•	•	•
Smartwatch Extension*	•	•			•		•
Remotely Clear Personal Settings	•	•	•	<u>-</u>	•	•	•
In-Vehicle Notifications*	•	•	WH.	•	•	•	·
My Navigation*:							
One-box Navigation Search	•	•	•			•	• 20
Last Mile Navigation	•	•	•	<u> </u>	•	•	
Send Destination to Vehicle	•	•	•	•	•	•	•
Privacy Mode	•	•	•		T.	• = i	•
My Alert*:							
Theft Alarm Notification	1 (F)	Lime	•		•	•	•

<sup>~</sup> Features included for 10 years for those who register on My Uconnect unless specified otherwise. Minimum smartphone requirements for the My Uconnect™ mobile app: Android operating system version 6.0 or higher. Apple iOS operating system version 11.0 or higher.

\* Features included for 3 years

Wheels	Code	Night Eagle	Limited	Overland	Summit Reserve
20-inch Gloss Black Painted Alloy Wheels	WHF	•		-	Tirring.
20-inch Machined / Painted Alloy Wheels	WHG	•(2)	•	-	- ·
20-inch Full Polished Alloy Wheels	WLJ	-	-	•	
18-inch Full Polished / Painted Alloy Wheels	WLH	-	-	0	-
21-inch Polished / Painted Alloy Wheels	WJE	-	-	-	•



WHF - 20-inch Gloss Black Painted Alloy Wheels (Standard on Night Eagle)



WHG - 20-inch Machined / Painted Alloy Wheels (Standard on Limited)



WLJ - 20-inch Full Polished Alloy Wheels (Standard on Overland)



WLH - 18-inch Full Polished / Painted Alloy Wheels (Optional on Overland)



WJE - 21-inch Polished / Painted Alloy Wheels (Standard on Summit Reserve)

Options	Code	Night Eagle	Limited	Overland	Summit Reserve
	OWA				
Power Sunroof	GWA	0	-	-	-
/ision Group	ADG + GWJ				
Oual Pane Sunroof	GWJ			3.0	
nterior Rear Facing Camera (not available on Grand Cherokee 5 Seat)	XPR	-	0	-	-
Head Up Display	LBK				
теан ор ызрау	LBR				
_uxury Technology Group	AAM				
Nappa Leather-trimmed Seats	*TL				
/entilated Second Row Outboard Seats	CAH				
Power Seat Back Massage - Driver	CE9		17.000		
Power Seat Back Massage - Front Passenger	CE5				
Vindow Shades, 2nd Row	GF1	State of the last		120-22	
Digital Rearview Mirror	GRG		-	0	- 11 -
Four-Zone Climate Control	HAL				
Driver Seat - Power Adjust 12-Way	JVJ				
Front Passenger Seat - Power Adjust 12-Way	JWJ				
Passenger Seat Memory	LE5				
Wireless Charging Pad	RFX	1	Sales and all		
		and a few second			
Off-Road Group	AM2	6 1 3 8			
230mm Rear Axle	DR1				
Electronic Limited Slip Differntial	DSF				
Frail Rated Badge	MT2				
265/60R18 All Terrain Tyres	TKH				
Goodyear Brand Tyres	TZA	-		0	
8-Inch Polished/Painted Alloy Wheels	WLH				
Fuel Tank Skid Plate Shield	XEE			The party of	
Fransfer Case Skid Plate Shield	XEF				
Front Suspension Skid Plate	XEU				
			12 13 18	RETAIL II	
Advanced Technology Group	AAN			- 4 - 4 - 4 - 4 - 4	
Head-Up Display	LBK		767		
Nireless Charging Pad	RFX			To have	0
	XNT		1632 12 3		
Night Vision Ped/Animal Detection	70.11				

Option (o) Not Offered (-)



PW7 - Bright White (Standard)



PRV - Velvet Red (Option)



PSE - Silver Zynith (Option)



PAS - Baltic Grey (Option)



PXJ - Diamond Black (Option)



PFJ - Rocky Mountain (Option)



PCQ - Midnight Sky (Option)



PBJ - Hydro Blue (Option - 5 seat only)



PHC - Ember (Option - 7 seat only)

Trim	Night Eagle Limited Overland		Summit Reserve			
Option Code	DZX7	D6X7	BLX7	TLX7	ECX7	ECT7
Seats	Suede & TechnoLeather-accented TechnoLeather Nappa Leather-trimmed		Palermo Leather-trimmed			
Seats	Black		Black	Tupelo		
Steering Wheel	TechnoLeather			Leather		
Headliner			Black			133

Exterior Colour	Night Eagle	Limited	Overla	and	Summit Re	eserve
Bright White (PW7)	•	•	•	•		•
Velvet Red (PRV)	· · · · · · · · · · · · · · · · · · ·	• 11 - 12	•	•	•	•
Silver Zenith (PSE)	•	•	•		•	•
Baltic Grey (PAS)	•	•	* 43.4 ·	• # # *	KINT OF THE	•
Diamond Black (PXJ)	•	•	•	•		•
Rocky Mountain (PFJ)		•	•	•	•	• 154
Midnight Sky (PCQ)		•	•	•	•	•
Hydro Blue (PBJ) 5 seat only		•	•	•	-	
Ember (PHC) 7 seat only	-	•	-	-	-	

Standard (•) Not Offered (-)



DZX7 - Black Suede & TechnoLeather accented trim (Standard - Night Eagle)



D6X7 - TechnoLeather trim (Standard - Limited)



BLX7/TLX7 - Black Nappa Leather-trim (Standard - Overland)



ECX7 - Black Palermo Leather-trim (Standard - Summit Reserve)



ECT7 - Tupelo Palermo Leather-trim (Option - Summit Reserve)

	Grand Cherokee	Grand Cherokee L			
	3.6L 4x4				
Body & Chassis					
Layout	Front Engine 4	x4			
Construction	Steel Unibody	/			
Assembly Plant	Detroit Assembly Complex – Mack F	Plant, Detroit, Michigan			
Doors	4	and the same			
Seats	5/7	Landard Miller			
Powertrain					
Description	3.6 Pentastar V6 E	ingine			
Capacity	3604				
Cylinders	6				
Configuration	V				
Aspiration (Natural / Forced)	Naturally Aspirated				
Max power (kW @ rpm)	210 @ 6400	AND ADDRESS OF			
Max torque (Nm @ rpm)	344 @ 4000				
Valves	24				
Compression	11.3:1	The State of the S			
Bore & Stroke (mm)	96 x 83	The Party of the P			
Engine Stop/Start	Standard				
Fuel					
System	Sequential Multi Port, Electronic Fuel Injection				
Туре	Unleaded Petrol				
Tank capacity (L)	87				
Economy (Urban, L/100km) <sup>(1)</sup>	13.3 13.9				
Economy (Highway, L/100km) <sup>(1)</sup>	8	8.7			
Economy (Combined, L/100km)(1)	9.9	10.6			

	Grand Cherokee	Grand Cherokee L
		. 4x4
Emissions		
Emission Standard Met	EUF	RO 6
Emissions (Combined, C02 g/100km)	236	243
Transmission		
Туре	8-Speed Automatic Transmission with S	Steering Wheel Mounted Paddle Shifters
Ratio - 1st	4.	71
Ratio - 2nd	3.	14
Ratio - 3rd	2.	11
Ratio - 4th	1.	67
Ratio - 5th	1.	29
Ratio - 6th		1
Ratio - 7th	0.	84
Ratio - 8th	0.	67
Reverse	3	.3
Brakes		
Front - Type	Ventilated Disk, Two-Pistor	n Floating Caliper with ABS
Front - Size (mm)	354	x 28
Rear - Type	Ventilated Disc, Floating Sir	ngle Piston Caliper with ABS
Rear - Size (mm)	350	x 22
Steering		
Туре	Electric rack-and	d-pinion steering
Turning Circle - Kerb to Kerb (m)	11	.58
Column Adjustment	Tilt & Te	lescopic
Service & Warranty		
Service Intervals	12,000km	12 months
Warranty	5 year / 10	00,000km <sup>(4)</sup>
Roadside Assist	Lifetime roadside assist whe	n you service through Jeep <sup>(5)</sup>

Table Administration	Grand Cherokee (5 seat) Night Eagle Limited	Overland				
		2000				
Dimensions						
Length (mm)	4,914					
Width (mm)	2,149	400000000000000000000000000000000000000				
Height (mm)	1,799	1,801				
Wheelbase (mm)	2,964					
Front Track (mm)	1,660					
Rear Track (mm)	1,660					
Wheel & Tyre						
Wheel Type	Alloy Wheels	The Transfer of Prof.				
Wheel Size (inches)	20 x 8.5					
Tyre Size	265 / 50	1.55				
Spare Wheel	265 / 60 R18 Full Size Steel Spare Wheel	- 1750				
Weights						
Tare Weight (kg)	2,167	TO 100 100 100 100 100 100 100 100 100 10				
Maximum Braked Towing Capacity (kg) <sup>(6)</sup>	2,813					
Maximum Unbraked Towing Capacity (kg) <sup>(6)</sup>	750					
Maximum Tongue Download (kg) <sup>(3)</sup>	281	17-17-17-17-17-17-17-17-17-17-17-17-17-1				
Gross Vehicle Mass (kg)	2,744	100000000000000000000000000000000000000				
Gross Combined Mass (kg) Incl. Braked Towing	5,557					
Roof Rack Load Limit (kg)	68					
Suspension						
Туре	Coil	Air				
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock abso	rbers, all aluminium arms and knuckles				
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing)	, all aluminium arms and knuckles				
	(including extruded aluminium spring links)					
4x4 Specifics						
4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II				
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4				
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted				
Running Clearance (mm)	214	193				
Maximum Ground Clearance (mm)	276(2)					
Approach Angle (Degrees)	20.5 30.1(2)					
Breakover Angle (Degrees)	19.1	24.0(2)				
Departure Angle (Degrees)	26.6	28.4(2)				
Wading Depth (mm) <sup>(10)</sup>	530	610 <sup>(2)</sup>				

	Grand Cherokee (7 seat)				
	Night Eagle	Limited	Overland	Summit Reserve	
			44	1. Ch. 3.	
Dimensions					
Length (mm)		5,204			
Width (mm)		2,149			
Height (mm)	1,815		1,817	The state of the s	
Wheelbase (mm)		3,091			
Front Track (mm)		1,660	The state of the s	Start Williams	
Rear Track (mm)		1,660	MATERIAL STREET	111355	
Wheel & Tyre					
Wheel Type		Alloy Wheels	THE STATE OF STATE		
Wheel Size (inches)		20 x 8.5		21 x 9.0	
Tyre Size		265 / 50		275 / 45	
Spare Wheel		265 / 60 R18 Full Size Steel	Spare Wheel		
Weights					
Tare Weight (kg)	2,190		2,270		
Maximum Braked Towing Capacity (kg) <sup>(6)</sup>		2,813			
Maximum Unbraked Towing Capacity (kg) <sup>(6)</sup>		750			
Maximum Tongue Download (kg) <sup>(3)</sup>		281	10, 10, 200	a ring Ways	
Gross Vehicle Mass (kg)	2,948	ort ROSine	3,039		
Gross Combined Mass (kg) Incl. Braked Towing	5,761	and the state of the state of	5,307		
Roof Rack Load Limit (kg)	The second section is	68			
Suspension					
Туре	Coil		Air		
Front	Multi-link independent front suspen	sion, gas-charged, twin-tube coilov	ver shock absorbers, all aluminium a	arms and knuckles	
Rear	Multi-link rear suspension, twin tube shocks (includi	ing load leveling for towing), all alu	minium arms and knuckles (includin	ng extruded aluminium spring lin	
4x4 Specifics					
4x4 System	Jeep Quadra-Trac I		Jeep Quadra	a-Trac II	
Operating Mode	Full-time Active 4WD		4x4 Low (Lock), Neutral; Full-time Active 4x4		
Transfer Case	Single-speed electronically shift	ited	Two-speed electro	nically shifted	
Running Clearance (mm)	215	- A C ( 10 1 ) TO	194		
Maximum Ground Clearance (mm)	213	G P Pale 1	276(2)		
Approach Angle (Degrees)	20.6	- 11	30.1(2)	28.2(2)	
Breakover Angle (Degrees)	18.2		22.6 <sup>(2)</sup>	)	
Departure Angle (Degrees)	21.5		23.6′2	)	
Wading Depth (mm) <sup>(10)</sup>	530		610(2)		



### jeep.com.au

- (\*) Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.
- (1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Air suspension in position Off-Road #2 (3) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (4) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (5) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (6) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (7) Apple Carplay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple Carplay® requires mobile data for full capability. Compatibility and performance can vary and change. (8) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (9) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (10) Capability varies by model and valid for standing water only, less for flowing water. Maximum speed no greater than 8km/h (5mph). Do not attempt water fording unless depth is known and consistent with the vehic