Wrangler MY25 Buyers Guide.

RUBICON



RUBICON

Engine 2.0L GMET4 DOHC TC with ESS 200kW 400Nm

Transmission 8-Speed Automatic

Four Wheel Drive

4x4 System Rock-Trac Active On-Demand 4x4

Body Style(s) 2-Door/4-Door

Features

- Rock-Trac[®] Active On-Demand 4x4 System (4:1 Transfer Case)
- 77.2:1 Crawl Ratio
- Tru-Lok[®] Front & Rear Locking Differentials
- Electronic Front Sway Bar Disconnect
- Performance Suspension
- Heavy Duty Dana Full-Float Rear Axle
- Heavy Duty Rock Slider W/Step Assist
- 32" Off-Road Tyres
- 17-Inch Machined/ Painted Black Alloy Wheels
- Soft Spare Tyre Cover
- Programmable Auxiliary Switch Bank
- Off-Road+ Mode
- Nappa Leather Trimmed Seats
- 12-Way Power Adjustable Front Seats (4 Door)

- 12-Way Power Adjustable Driver Seat (2-Door)
- Hard Top Headliner
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel
- Deep Tint Sunscreen Windows
- 7.0" Driver Information Display
- Uconnect 12.3-Inch Touchscreen
- Wireless Apple CarPlay^{® (2)(4)}
- & Android Auto^{™ (3)(4)}
- Satellite Navigation
- 9-Speaker Alpine Premium Audio System with Subwoofer
- LED Exterior Lighting

- LED Ambient Interior Lighting
- Push-Button Start and Remote Proximity Keyless Entry
- Remote Start System
- Security Alarm
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor and Rear Cross
 Path Detection
- Forward Facing TrailCam
- Rearview Camera & Front/Rear Parking Sensors





			-
Capability & Performance	Code	Rubicon 2-Door	Rubicon 4-Door
Rock-Trac®Active On-Demand 4X4 System	DHF	•	•
2-Speed Transfer Case	-	•	•
Tru-Lok® Front Locking Differential	DSL	•	•
Tru-Lok® Rear Locking Differential	DSH	•	•
Off-Road+ Mode	XG7	•	•
Rear Stabiliser Bar	SHF	•	•
Electronic Front Stabiliser Bar Disconnect	SHG	•	•
Dana M210 Front Axle	DJE	•	•
Dana M220 Full Float Rear Axle	DRN	•	•
Rear Axle Ratio 4.10	DMF	•	•
Auxilliary Switches (x4)	LH2	•	•
240A Alternator	BAL	•	•
700A Maintenance Battery	BCH	•	•
Skid Plate - Fuel Tank	XEE	•	•
Skid Plate - Transfer Case	XEF	•	•
Skid Plate - Transmission	XE9	•	•
Black Front Bumper	MBA	•	•
Performance Suspension	SDD	•	•
Matching Spare Alloy Wheel	WKB	•	•
Wash-Out interior with Drain Plugs	-	•	•
Safety, Security & Driver Assistance	Code	Rubicon 2-Door	Rubicon 4-Door
Electronic Stability Control	BNB	•	•
Hill Start Assist	BNG	•	•
Selec-Speed Control	BNK	•	•
Traction Control	BNM	•	•
Electronic Roll Mitigation	BNS	•	•
Trailer Sway Control	BNT	•	•
Heavy Duty 4-Wheel Disk Brakes with ABS	BR2		•
Sport Bar	CLM		•

Safety, Security & Driver Assistance (Continued)	Code	Rubicon 2-Door	Rubicon 4-Door
Remote Proximity Keyless Entry	GXD	•	•
Sentry Key Theft Deterrent System	GXX	•	•
Security Alarm	LSB	•	•
6 Airbags (2 Front, 2 Side, 2 Side Curtain)	-	•	•
Parkview Reverse Parking Camera	XAC	•	•
Forward Facing TrailCam	XNY	•	•
ParkSense Rear Park Assist System	XAA	•	•
ParkSense Front Park Assist System	XHU	•	•
Cruise Control	NHM	•	•
Adaptive Cruise Control with Stop	NH3	•	•
Full Speed Forward Collision Warning Plus	LSU	•	•
Blind Spot Monitoring	XAN	•	•
Rear Cross Path Detection	-	•	•
Selectable Tyre Fill Alert	LA5	•	•
Rear Seat Reminder Alert	JFB	-	•
Audio & Connectivity	Code	Rubicon 2-Door	Rubicon 4-Door
12.3-Inch UConnect 5 Touchscreen with: Bluetooth Phone & Audio AM/FM/DAB+ Radio Wireless Apple CarPlay® Wireless Android Auto™	UPX	•	•
7.0" Multi-View Driver Information Display	JAJ	•	•
7.0" Multi-View Driver Information Display Satellite Navigation	JAJ JLN	•	•
		•	•
Satellite Navigation 9-Speaker Alpine Premium Audio system	JLN	•	•
Satellite Navigation 9-Speaker Alpine Premium Audio system including subwoofer	JLN RC4	•	•

Standard (•) Option (•) Not Offered (-)

Comfort & Convenience	Code	Rubicon 2-Door	Rubicon 4-Door
Automatic Headlamps	LMG	•	•
Automatic High Beam Headlamps	LMS	•	•
Automatic Headlamp Leveling System	JKJ	•	•
Rear View Auto Dim Mirror	GNK	•	•
Remote Start System	XBM	•	•
Speed Limiting Device	NH2	•	•
Air Conditioning with Automatic Temperature Control	HAB	•	•
Speed-Sensitive Power Locks	JPH	•	•
Power Adjustable, Heated Mirrors	GTB	•	•
Power Windows	JPY	•	•
12V Auxiliary Power Outlet	JJJ	•	•
12V Auxiliary Power Outlet - Rear	JJM	•	•
Tilt/Telescope Steering Column	SUD	•	•
Torx Tool Kit	XE4	•	•
Freedom Panel Storage Bag	CS2	•	•
Rear Window Defroster	GFA	•	•
Exterior	Code	Rubicon 2-Door	Rubicon 4-Door
Alloy Wheels - 17-inch	-	•	•
Heavy Duty Rock Slider with Step Assist	MMU	•	•
Grille - Body Colour/Neutral Grey			
Shine Body Colourine dirar Orey	MF4	•	-
	MF4 MM2	•	•
Fender Flares - Black			•
Fender Flares - Black Hard Top - Removable, Black 3-Piece	MM2		• • • • 0
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top	MM2 HT1		•
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows # Acoustic Laminated Front Door Glass	MM2 HT1 STJ		•
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows [#] Acoustic Laminated Front Door Glass	MM2 HT1 STJ GCD		• 0
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows [#] Acoustic Laminated Front Door Glass Removable Full Metal Doors	MM2 HT1 STJ GCD GAP		• 0 •
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows # Acoustic Laminated Front Door Glass Removable Full Metal Doors Fold Down Windscreen	MM2 HT1 STJ GCD GAP		• 0 •
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows # Acoustic Laminated Front Door Glass Removable Full Metal Doors Fold Down Windscreen Tinted Windshield Glass	MM2 HT1 STJ GCD GAP GCF		• 0 • •
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows * Acoustic Laminated Front Door Glass Removable Full Metal Doors Fold Down Windscreen Tinted Windshield Glass Front Windshield - Corning® Gorilla® Glass	MM2 HT1 STJ GCD GAP GCF - GBB		• 0 • • •
Fender Flares - Black Hard Top - Removable, Black 3-Piece Sky-One-Touch Power Top Deep Tint Sunscreen Windows #	MM2 HT1 STJ GCD GAP GCF - GBB GMA		• 0 • • •

Exterior (Continued)	Code	Rubicon 2-Door	Rubicon 4-Door
Exterior Mirrors - Power Heated	GTB	•	•
Headlamps - LED	LPX	•	•
Fog Lamps - LED	LNV	•	•
Tail Lamps - LED	LAY	•	•
Daytime Running Lamp System - LED	LPY	•	•
Tailgate Mounted Full Size Tyre Carrier	TBR	•	•
Spare Tyre Cover	CSA	•	•
Rubicon Hood Decal	MYA	•	•
Vented Hood	-	•	•
Grey/Red Trail Rated Badge	MTB	•	•
Windshield Integrated Stealth Antenna	RDL	•	•
Black Fuel Filler Door	XJN	•	•
Rear Window Wiper	JHB	•	•
Interior	Code	Rubicon 2-Door	Rubicon 4-Door
Seat - Nappa Leather Trimmed Bucket	*VL	•	•
Seat - Heated Front	JPM	•	•
Rear Seat - Folding	CFM	•	-
Rear Seat - 60/40 Split Folding	CFN	-	•
Front Passenger 12-Way Power Seat	JWG	-	•
Driver 12-Way Power Seat	JVG	•	•
Floor Mats - Front & Rear	CLE	•	•
All-Weather Floor Mats	CWA	•	•
Steering Wheel - TechnoLeather Wrapped	SCJ	•	•
Steering Wheel - Heated	NHS	•	•
Leather-Wrapped Shift Knob	CVW	•	•
Leather-Wrapped Parking Brake Handle	CVP	•	•
Premium Door Trim Panel	CBF		•
Front Seat Back Map Pockets	CSM	•	
Sun Visors w/Illuminated Vanity Mirrors	GND	•	
Passenger Assist Handles	CSP	•	•
LED Ambient Interior Lighting	LHA	- •	
Hard Top Headliner	CHD	•	•

SPECIFICATIONS

Standard (•) Option (°) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger and rear cargo windows only. Driver and front passenger windows and windscreen are not tinted.

Group / Option	Code	Comments	Rubicon 4-Door
Sky-One-Touch Power Top	STJ	Removes HT1 Black 3-Piece Hardtop and CHD Mopar Hardtop Bedliner	0
			Option (O) Standard (S) Not Available (-)

	Rubicon
Option Code	VLX9
Seat Material	Nappa Leather-trimmed
Seat Colour	Black
Instrument Panel	Premium Wrapped
Steering Wheel	TechnoLeather
Exterior Colour	
Bright White (PW7)	•
Black (PX8)	0
Granite Crystal (PAU)	0
41 (PJ5)	0
Firecracker Red (PRC)	0
Hydro Blue (PBJ)	0
Mojito (PGE)	0
Anvil (PDS)	0

Option (O) Standard (S) Not Available (-)



VLX9 - Black Nappa Leather Trimmed Bucket Seats (Standard - Rubicon)



WFV - 17-Inch Machined Painted Black Wheels (Standard on Rubicon)





PW7 - Bright White (Standard)



PX8 - Black (Option)



PAU - Granite Crystal (Option)



PJ5 - 41 (Option)



PRC - Firecracker Red (Option)

PBJ - Hydro Blue (Option)



PGE - Mojito (Option)



PDS - Anvil (Option)

	Rubicon 2-Door 2.0L 8AT 4x4	Rubicon 4-Door 2.0L 8AT 4x4
Body & Chassis		e care
Layout	Front Engir	ne 4x4
Construction	Body on Frame Chasis, open	steel and aluminium body
Assembly Plant	Toeldo Supplier Park. T	oledo, Ohio. USA.
Doors	2-Door	4-Door
Seats	4	5
Powertrain		
Description	2.0L GMET4 DOHO	C TC with ESS
Capacity	1,995	5
Cylinders	4	
Configuration	Inline)
Aspiration (Natural / Forced)	Turbocha	rged
Max. Power (kW @ rpm)	200 @ 5	250
Max. Torque (Nm @ rpm)	400 @ 3000	0-4500
Valves	16	
Compression	10:1	
Bore & Stroke (mm)	84 x 9	0
Fuel (1)		
System	Sequential, Multi Port, El	ectronic, Returnless
Туре	MIN ROM	N 95
Fuel Tank Capacity (L)	66.0	81
Economy (Urban, L/100km)	11.5	COLO COLO I
Economy (Highway, L/100km)	8.6	
Economy (Combined, L/100km)	9.7	
Emissions	100	1
Emission Standard Met	Euro	6
Emissions (Combined, CO ₂ g/km)	218	
Steering	(60	0
Туре	Electro-Hydrau	ulic Power
Turning Circle - Kerb to Kerb (m)	10.0	11.8
Column Adjustment	Tilt/Teleso	copic

	Rubicon 2-Door 2.0L 8AT 4x4	Rubicon 4-Door 2.0L 8AT 4x4
Weights	and the second second	
Tare Weight (kg)	1,977	2,139
Gross Vehicle Mass (kg)	2,404	2,574
Max. Braked Towing Capacity (kg) (9)	1,497	2,495
Max. Unbraked Towing Capacity (kg)	7	50
Max. Tongue Download (kg) (5)	150	250
Gross Combined Mass (kg) Incl. Braked Towing	3,751	4,819
Transmission		
Туре	8-Speed Automatic	
Ratio - 1st	4.	71
Ratio - 2nd	3.13	
Ratio - 3rd	2.10	
Ratio - 4th	1.67	
Ratio - 5th	1.28	
Ratio - 6th	1.00	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.30	
Brakes		
Front - Type	Ventilated disk, floating twin piston caliper with ABS	
Front - Size (mm)	330 x 28	
Rear - Type	Solid disk, floating single	e piston caliper with ABS
Rear - Size (mm)	342	x 14
Wheel & Tyre	1/1	
Wheel Type	AI	loy
Wheel Size (Inches)	17.0	x 7.5
Tyre Size	255	i / 75
Spare Wheel	Tailgate Mounted - Matching Alloy Wheel	

Weights & Capacities	Rubicon 2-Door 2.0L 8AT 4x4	Rubicon 4-Door 2.0L 8AT 4x4	
Dimensions			
Length (mm)	4,334	4,882	
Width (mm)	1,894	1,894	
Height (mm)	1,879	1,901	
Wheelbase (mm)	2,459	3,008	
Front Track (mm)	1,5	598	
Rear Track (mm)	1,5	598	
Suspension			
Туре	С	oil	
Front	Solid Axle, Link Coil, Leading Arms,	Track Bar, Coil Springs, Stabiliser Bar	
Rear	Solid Axle, Link Coil, Leading Arms,	Track Bar, Coil Springs, Stabiliser Bar	
Electronic Stabiliser Bar Disconnect	Fr	ont	
4x4 Specifics	the second s		
4x4 System	Rock-Trac [®] Active	e On-Demand 4x4	
Operating Mode	2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low		
Transfer Case	2-S	peed	
Low Range Ratio	4.0:1		
Rear Axle Ratio	4.	10	
Front Axle	Dana M210		
Rear Axle	Dana M220		
Electronic Locking Differentials	Tru-Lock Front & Rear		
Running Clearance (mm)	257	255	
Approach Angle (Degrees)	44.0	43.9	
Breakover Angle (Degrees)	27.8	22.6	
Departure Angle (Degrees)	37	7.0	
Wading Depth (mm) ⁽⁶⁾	7	60	
Warranty & Service	Rubicon 2-Door 2.0L 8AT 4x4	Rubicon 4-Door 2.0L 8AT 4x4	
Service Intervals	12,000km	/ 12 months	
Warranty	5 year / 10	00,000km ⁽⁷⁾	
Roadside Assist	Lifetime Roadside Assist whe	Lifetime Roadside Assist when you service through Jeep (8)	



JEEP CAPPED PRICE SERVICING

We've capped the maximum price you'll pay for the first five services based on the standard service intervals for your vehicle.

Petrol: Scheduled servicing due every 12 months or 12,000 km, whichever comes first.



AUTHENTIC JEEP ACCESSORIES

When it comes to your Jeep vehicle, not all parts are created equal. All Genuine Jeep accessories fitted at purchase are covered by the same 5-year/100,000km warranty* applied to your Jeep. This means you can personalise your vehicle with complete confidence.



Sunrider



Pet Partition



Roof Rack Kit

Jeen

Jeep

jeep.com.au

*Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto[™] requires an Android 5.0 or later version of Android, installed with the Android Auto[™] Application. The function of Android Auto[™] requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto[™] and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. Stellantis Australia is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warrranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for deta