Gladiator *MY23 Buyers Guide. July 2023*

RUISI



NIGHT EAGLE

Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

Transmission

8-Speed Automatic Four Wheel Drive

4x4 System Selec-Trac® Active On-Demand 4x4

Features:

- Premium Black Cloth Trim Seats
- Black Exterior and Interior Accents
- Uconnect 8.4" Touch Screen Display
- Apply Carplay (2)(4) & Android Auto (3)(4)
- Satellite Navigation
- 7.0" Driver Information Display
- Black Three-Piece Freedom Hard Top
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 9 Speaker Alpine Premium Audio System
- Parkview Rear Backup Camera
- ParkSense Front/Rear Park Assist System
- Remote Proximity Keyless Entry & Push Button Start

RUBICON

Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

Transmission

8-Speed Automatic Four Wheel Drive

4x4 System

Rock-Trac® Active On-Demand 4x4

Features

(in addition, or replacing Night Eagle):

- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway-Bar Disconnect
- 77.2:1 Crawl Ratio
- Red Tenneco 2" diameter shocks [front/rear]
- Off-Road Plus Mode
- 32" Off-Road Tyres [255/75R17]
- 17" Granite Crystal Alloy Wheels
- Steel Rear Bumper
- Rubicon Hood Decal
- McKinley Leather Trimmed Seats
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel







Capability & Performance	Code	Night Eagle	Rubicon
Selec-Trac® Active On Demand 4x4 System	DHP	•	-
Rock-Trac® Active On Demand 4X4 System	DHF	-	•
Tru-Lok® Front Locking Differential	DSL	-	•
Tru-Lok® Rear Locking Differential	DSH	-	•
Rear Stabiliser Bar	SHF	•	•
Red Tenneco Shocks - Front	SFF	-	•
Red Tenneco Shocks - Rear	SGF	-	•
Performance Suspension	SDD	-	•
Electronic Front Stabiliser Bar Disconnect	SHG	-	•
Dana M210 Front Axle	DJF	•	•
Dana M220 Rear Axle	DRF	•	•
Rear Axle Ratio 4.10	DMF	•	•
Skid Plate - Fuel Tank	XEE	•	•
Skid Plate - Transfer Case	XEF	•	•
Skid Plate - Transmission	XE9	•	•
Black Injection Molded Front Bumper	MBA	•	•
Steel Front Bumper	MC6	-	0
Steel Rear Bumper	MD6	-	•
Wash-Out Interior with Removable Carpet and Drain Plugs	-	•	•
Safety, Security & Driver Assistance	Code	Night Eagle	Rubicon
Electronic Stability Control	BNB	•	•
Hill Start Assist	BNG	•	•
Traction Control	BNM	•	•
Electronic Roll Mitigation	BNS		
	DINO	•	•
Trailer Sway Control	BNS	•	•
Trailer Sway Control Heavy Duty 4-Wheel Disk Brakes with ABS			
	BNT	•	•
Heavy Duty 4-Wheel Disk Brakes with ABS	BNT BR2	•	•
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar	BNT BR2 CLM	• • •	• • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry	BNT BR2 CLM GXM	• • • • •	• • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry	BNT BR2 CLM GXM GXD	• • • • • • • •	• • • • • • • • • • • • • • • • • • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry Sentry Key Theft Deterrent System	BNT BR2 CLM GXM GXD GXX	• • • • • • • •	• • • • • • • • • • • • • • • • • • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry Sentry Key Theft Deterrent System Security Alarm	BNT BR2 CLM GXM GXD GXX LSB	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry Sentry Key Theft Deterrent System Security Alarm 4 Airbags (2 Front, 2 Side Seat)	BNT BR2 CLM GXM GXD GXD GXX LSB -	• • • • • •	• • • • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry Sentry Key Theft Deterrent System Security Alarm 4 Airbags (2 Front, 2 Side Seat) Parkview Reverse Parking Camera	BNT BR2 CLM GXM GXD GXZ LSB - XAC	• • • • • • •	• • • • • • • •
Heavy Duty 4-Wheel Disk Brakes with ABS Sport Bar Remote Keyless Entry Remote Proximity Keyless Entry Sentry Key Theft Deterrent System Security Alarm 4 Airbags (2 Front, 2 Side Seat) Parkview Reverse Parking Camera ParkSense Rear Park Assist System	BNT BR2 CLM GXM GXD GXX LSB - XAC XAA	• • • • • • • • •	• • • • • • • • • •

Safety, Security & Driver Assistance	Code	Night Eagle	Rubicon
Full Speed Forward Collision Warning Plus	LSU	•	•
Blind Spot Monitoring	XAN	•	•
Rear Cross Path Detection	-	•	•
Tyre Pressure Monitoring Display	XGM	•	•
Performance Suspension	SDD		•
Comfort & Convenience	Code	Night Eagle	Rubicon
Automatic Headlamps	LMG	•	•
Automatic Headlamp Leveling System	JKJ	•	•
Rear View Auto Dim Mirror	GNK	•	•
Remote Start System	XBM	•	•
Speed Limiting Device	NH2	•	•
Air Conditioning with Automatic Temperature Control	HAB	•	•
Speed-Sensitive Power Locks	JPH	•	•
Power Adjustable, Heated Mirrors	GTB	•	•
Power Windows	JPY	•	•
12V Auxiliary Power Outlet	JJJ	•	•
Tilt/Telescope Steering Column	SUD	•	•
Torx Tool Kit	XE4	•	•
Freedom Panel Storage Bag	CS2	-	•
Rear Window Defroster	GFA	•	•
Utility	Code	Night Eagle	Rubicon
Cargo Area Tie Down Loops	СКТ	•	•
Cargo Group with Trail Rail Management System	CMD	0	0
Spray-In Bedliner	XMF	0	0
Aux Switches (4x Programmable Switches)	LH2	0	0
240 Amp Alternator	BAL	•	0
700 Amp Maintenance Battery	BCH	•	•

Standard (•) Option (•) Not Offered (-) Not Available With (NAW)

Audio & Connectivity	Code	Night Eagle	Rubicon
8.4° Uconnect 4 Touch Screen with Navigation Satellite Navigation Bluetooth Phone & Audio AM/FM/DAB+ Radio Apple CarPlay ⁽²⁾⁽⁴⁾ Android Auto ⁽³⁾⁽⁴⁾	nið	•	•
7.0" Multi-View Driver Information Display	JAL	•	•
9-Speaker Alpine Premium Audio System including Subwoofer	RC4	•	•
Steering Wheel Mounted Audio Controls	RDZ	•	•
Wireless Bluetooth Speakers	RSJ	o	0
Media Hub (USB, AUX, 12V)	RSF	•	•
Remote USB Port	RSX	•	•
Exterior	Code	Night Eagle	Rubicon
Alloy Wheels - 17-inch	-	•	•
Heavy Duty Rock Slider with Step Assist	MMU	•	•
Grille - Black	MW7	•	-
Grille - Body Colour/Accent Colour	MF4	-	•
Fender Flares - Black	MM2	-	•
Fender Flares - Body Colour	MM3	•	o
Hard Top - Removable, Black 3-Piece	HT1	•	•
Hard Top - Removable, Body Colour 3-Piece	HT3	-	0
Deep Tint Sunscreen Windows #	GCD	•	•
Removable Full Metal Doors	GCF	•	•
Fold Down Windscreen	-	•	•
Exterior Mirrors - Black	LE4	•	•
Exterior Mirrors - with Supplemental Signals	LEB	•	•
Headlamps - LED	LPX	•	•
Fog Lamps - LED	LNV	•	•
Tail Lamps - LED	LAY	•	•
Daytime Running Lamp System - LED	LPY	•	•
Tailgate Mounted Full Size Tyre Carrier	TBR	•	•
Rubicon Hood Decal	MYA	-	•
Vented Hood	-	•	•
Black Trail Rated Badge - Left, Front Fender	MGD	•	-
Red Trail Rated Badge	МТВ	-	•
Fixed Long Mast Antenna - Right, Front Fender	RDD	•	•

Interior	Code	Night Eagle	Rubicon
Seat - Cloth Bucket	*A7	•	-
Seat - Rubicon Leather Trimmed Bucket	*AL	-	•
Seat - Heated Front	JPM	-	•
Rear Seat - 60/40 Split Folding	CFN	•	•
Gloss Black I/P Bezels	JES	•	- ~
Red-Ical I/P Bezels	JEL	-	•
Base Interior Accents	XSB	•	-
Bright Interior Accents	XSC		•
Floor Mats - Front & Rear	CLE	•	•
Steering Wheel - Premium Wrapped	SCJ	•	•
Steering Wheel - Heated	NHS	-	•
Urethane Shift Knob	CV3	•	-
Leather-Wrapped Shift Knob	CVW	-	•
Leather-Wrapped Parking Brake Handle	CVP	-	•
Premium Door Trim Panel	CBF	-	•
Front Seat Back Map Pockets	CSM	•	•
Sliding Sun Visors w/Mirrors	GNU	•	-
Sun Visors w/Illuminated Vanity Mirrors	GNC	-	•
Passenger Assist Handles	CSR	•	•
Lockable Rear Underseat Storage	CUW	0	0
LED Interior Lighting	LHA	-	•

Standard (•) Option (○) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger and rear cargo windows only. Driver and front passenger windows and windscreen are not tinted.

	Code	Comments	Night Eagle	Rubicon
Lifestyle Adventure Group HD Electrical Group AUX Switches (4x Programmable Switches) 240 Amp Alternator Cargo Group with Trail Rail System Lockable Rear Underseat Storage Spray In Bedliner Wireless Speaker - Bluetooth	ADH LH2 BAL CMD CUW XMF RSJ	-	0	0
Rubicon Premium Package Body Colour Fender Flares Body Colour Freedom Hard Top	MM3 HT3		-	0
Trail Ready Package Steel Front Bumper 17-inch Machined Black Painted Wheels	MC6 WGQ	Removes XHU - ParkSense Front Park Assist System	-	0

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WFP - 17-inch Black Alloy Wheels (Standard on Night Eagle)



WFJ - 17-Inch Granite Crystal Alloy Wheels (Standard on Rubicon)



WFN - 17-inch Polished Black Alloy Wheels (Option on Rubicon)



WGQ - 17-inch Machined Black Painted Wheels (Option on Rubicon - Late Availability)



PX8 - Black (Standard)



PW7 - Bright White (Standard)



PAU - Granite Crystal (Option)



PDN - Sting Grey (Option)



PGG - Sarge Green (Option)



PRC - Firecracker Red (Option)



PBJ - Hydro Blue (Option)




PSE - Silver Zynith (Option)



PJF - High Velocity (Option)



A7X9 - Black with Peak Embossing and Black Stitching (Standard - Night Eagle)



ALX9 - Black Leather Trimmed Bucket Seats (Option - Rubicon)

	Night Eagle	Rubicon
Option Code	A7X9	ALX9
Seat Material	Cloth	Leather
Seat Colour	Black	Black
Instrument Panel	Gloss Black	Redical
Steering Wheel	Premium	Wrapped
Exterior Colour		
Black (PX8)	•	•
Bright White (PW7)	•	•
Granite Crystal (PAU)	0	0
Sting Grey (PDN)	0	0
Firecracker Red (PRC)	0	0
Hydro Blue (PBJ)	0	0
Sarge Green (PGG)	0	0
Silver Zynith (PSE)	0	0
High Velocity (PJF)	0	0

Standard (•) Option (o) Not Offered (-)



Technical Specifications	Night Eagle 3.6L 8AT 4x4	Rubicon	echnical Specifications	Night Eagle 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4
Body & Chassis		Weights			
Layout	Front Engine, 4x4	Tare Weight	(kg)	2,135	2,195
Construction	Body on frame chassis, open steel and a	aluminium body Kerb Mass (kg)	2,187	2,242
Assembly Plant	Toledo Supplier Park. Toledo, Oh	nio. USA. Gross Vehic	le Mass (kg)	2,880	2,935
Doors	4-Door	Payload (kg	(10) = GVM - Kerb Mass	693	693
Seats	5	Max. Braked	Towing Capacity (kg) ⁽⁹⁾	2,721	
Powertrain		Max. Unbra	ked Towing Capacity (kg)	7:	50
Description	3.6L Pentastar V6 w/ ESS	S Max. Tongu	e Download (kg) (5)	2	72
Capacity	3604	Gross Com	ined Mass (kg) Incl. Braked Towing	5,601	5,656
Cylinders	6	Transmis	sion		
Configuration	V	Туре		8-Speed	Automatic
Aspiration (Natural / Forced)	Naturally Aspirated	Ratio - 1st		4.	71
Max. Power (kW @ rpm)	209 @ 6400	Ratio - 2nd		3.13	
Max. Torque (Nm @ rpm)	347 @ 4100	Ratio - 3rd		2.10	
Valves	24	Ratio - 4th		1.67	
Compression	11:03:01	Ratio - 5th		1.28	
Bore & Stroke (mm)	96.0 x 83.0	Ratio - 6th		1.00	
Fuel ⁽¹⁾		Ratio - 7th	Ratio - 7th 0.84		84
System	Sequential, Multi Port, Electronic, F	Returnless Ratio - 8th		0.67	
Туре	Unleaded Petrol	Reverse		3.30	
Fuel Tank Capacity (L)	83	Brakes	·		
Economy (Urban, L/100km)	15.4	Front - Type		Ventilated disk, floating twin piston caliper with ABS	
Economy (Highway, L/100km)	10.6	Front - Size	(mm)	330 x 28	
Economy (Combined, L/100km)	12.4	Rear - Type		Solid disk, floating single piston caliper with ABS	
Emissions		Rear - Size	(mm)	350 x 22	
Emission Standard Met	5	Wheels &	Tyres		
Emissions (Combined, CO ₂ g/km)	288	Wheel Type		AI	оу
Steering		Wheel Size	(Inches)	17.0 x 7.5	17.0 x 7.5
Туре	Electro-Hydraulic Power	Tyre Size		245 / 75	255 / 75
Turning Circle - Kerb to Kerb (m)	13.6	Spare Whee	1	Under-Vehi	cle Mounted
Column Adjustment	Tilt/Telescopic				

Weights & Capacities	Night Eagle 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4		
Dimensions				
Length (mm)	5,5	591		
Width (mm)	1,8	394		
Height (mm)	1,905	1,909		
Wheelbase (mm)	3,4	488		
Front Track (mm)	1,6	636		
Rear Track (mm)	1,6	636		
Suspension				
Туре	с	oil		
Front	Solid axle, link coil, leading arms,	track bar, coil springs, stabilizer bar		
Rear	Solid axle, link coil, trailing arms, t	rack bar, coil springs, stabilizer bar		
Shocks	Gas-charged monotube shock absorbers	High-pressure, gas charged Tenneco monotube shocks		
Electronic Stabiliser Bar Disconnect	-	Front		
4x4 Specifics		1		
4x4 System	Selec-Trac® 4x4 Active On-Demand	Rock-Trac® 4X4 Active On-Deman		
Operating Mode	2WD High; 4WD High Auto; 4	4WD High; Neutral; 4WD Low		
Low Range Ratio	2.72:1	4.0:1		
Rear Axle Ratio	4.10	4.10		
Front Axle	Dana	M210		
Rear Axle	Dana	M220		
Electronic Locking Differentials	-	Tru-Lock® Front & Rear		
Running Clearance (mm)	2	49		
Approach Angle (Degrees)	4(0.7		
Breakover Angle (Degrees)	18	18.4		
Departure Angle (Degrees)	2!	25.1		
Wading Depth (mm)	76	760 (6)		
Service & Warranty	Night Eagle	Rubicon		
Service Intervals	12,000km	/ 12 months		
Warranty	5 year / 10	0,000 km ⁽⁷⁾		
Roadside Assist	Lifetime roadside assist whe	n you service through Jeep (8)		



JEEP CAPPED PRICE SERVICING

We've capped the maximum price you'll pay for the first five services based on the standard service intervals for your vehicle.

Petrol: Scheduled servicing due every 12 months or 12,000 km, whichever comes first.

Night Eagle	Automatic 3.6L 4x4 Petrol	\$399
Rubicon	Automatic 3.6L 4x4 Petrol	\$399

JEEP WAVE COMMITMENT



AUTHENTIC JEEP ACCESSORIES

When it comes to your Jeep vehicle, not all parts are created equal. All Genuine Jeep accessories fitted at purchase are covered by the same 5-year/100,000km warranty* applied to your Jeep. This means you can personalise your vehicle with complete confidence.



Moulded Cargo Tray



Tow Bar Kit





Side Window Air Deflector



Collapsible Cargo Tote

Jeep

jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). The GVM must not be exceeded. The Gross Combined Mass (the combined weight of the fully loaded vehicle including tow ball download (when towing) and trailer must also not be exceeded. Please see Owner's Manual for vehicle specifications.